



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

18945 e.

35/3



600037661T

G. 101. 116. 5.



E. BIBL. RADCL.

~~11. 4~~ ~~5~~ / ~~4~~
~~50. 13. 8~~ C. / 14

C

18945 e

$\frac{35}{3}$

S U P P L E M E N T

TO THE

Index Testaceologicus ;

OR

A C A T A L O G U E

OF

S H E L L S,

BRITISH AND FOREIGN.

ILLUSTRATED WITH 480 FIGURES.

By W. WOOD, F.R.S. & L.S. &c.

LONDON:

PRINTED FOR W. WOOD, 428, STRAND.

1828.

**PRINTED BY RICHARD TAYLOR,
RED LION COURT, FLEET STREET.**

P R E F A C E.

IN submitting the following SUPPLEMENT to the Public, it will be proper to remark, that the plan pursued in the *Index Testaceologicus* has been continued for the sake of uniformity, though liable to an objection with respect to the first column.

It appears absurd that the word Linnean names, should be continued to shells wholly unknown to Linneus; yet as the arrangement is Linnean, the head could not well be dispensed with, without injury to the body.

It will be seen by a reference to the third column, that the majority of the shells have been figured from specimens in the British Museum, and the names attached to them in that collection have been adopted. For the rest, except such as have been derived from books, the Author gratefully acknowledges the assistance of Mrs. Mawe, and Mr. Gray, from whose Cabinets, and principally from the former he has derived the most essential benefit.

It is to be hoped that an inspection of the Plates, and a careful comparative examination of the Figures, will leave the Subscribers at least as well satisfied with the second part of the Index, as they have kindly professed themselves to be with the first.

The additional list of Lamarckian names, adapted to the plates and figures in the *Index Testaceologicus*, has been extracted from the three last volumes of the "*Animaux sans Vertèbres*"; and the Genera have been arranged alphabetically for the convenience of reference.

As a guide to the comparative size of the different shells, a mark or a letter of the alphabet is added after the number engraved on the plate. Thus + indicates a shell half an inch long; $\frac{3}{4}$ three-quarters of an inch; *a* an inch; $a\frac{1}{4}$ an inch and a quarter; $a\frac{1}{2}$ an inch and a half; $a\frac{3}{4}$ an inch and three-quarters; *b* two inches; *c* three inches, and so on: *n* denotes shells of the natural size; and *m* such as are magnified.

LONDON,
May, 17, 1828.

ABBREVIATIONS.

| | | |
|---------------------|-------|-------------------------------------------------------|
| <i>Au. Cab.</i> | . . . | Author's Cabinet. |
| <i>Bligh Cat.</i> | . . . | Bligh Catalogue. |
| <i>Br. M.</i> | . . . | British Museum. |
| <i>E. M.</i> | . . . | <i>Encyclopédie Méthodique</i> , art. <i>Vers.</i> |
| <i>Fer.</i> | . . . | Ferussac, <i>Histoire Naturelle des Mollusques</i> . |
| <i>Gray Cab.</i> | . . . | Mr. Gray's Cabinet. |
| <i>M. Cab.</i> | . . . | Mrs. Mawe's Cabinet. |
| <i>S. G. S.</i> | . . . | Sowerby's <i>Genera of Recent and Fossil Shells</i> . |
| <i>Sw. Ex. Con.</i> | . . . | Swainson's <i>Exotic Conchology</i> . |
| <i>Sw. Z. Ill.</i> | . . . | ——— <i>Zoological Illustrations</i> . |
| <i>Tan. Cat.</i> | . . . | Tankerville Catalogue. |
| <i>Turt. B.</i> | . . . | Turton's <i>British Bivalves</i> . |
| <i>Zool. Jour.</i> | . . . | <i>Zoological Journal</i> . |
| Fr. w. | . . . | Fresh water. |
| L. | . . . | Land. |
| U. | . . . | Unknown. |

} These abbreviations occur in
the last column.

SUPPLEMENT.



| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|------------------------------|----------------------|----------------------------------------------|------------------|
| CHITON. COAT OF MAIL. | | | |
| 1 Peruvianus | black, bristle-edged | <i>M. Cab. E.M. pl.</i> 163, f. 7 & 8. | Peru. |
| 2 undulatus | brown-waved | <i>M. Cab.</i> | Indian Ocean. |
| 3 luteolus | yellowish | ———— | ———— |
| 4 nebulosus | clouded | ———— | Isle of France. |
| 5 setosus | yellow-bearded | ———— | W. Indies. |
| 6 olivaceus | smooth, olive | ———— | Indian Ocean. |
| 7 variegatus | variegated | <i>Au. Cab.</i> | Britain. |
| 8 latus | brindled | <i>Zool. Jour. 2, pl. 5, f. 6</i> & 7. | ———— |
| 9 aselloides | smooth, brown | <i>Zool. Jour. 2, pl. 5,</i> <i>f. 5.</i> | ———— |
| 10 Carmichaelis | Carmichael's | <i>Br. Mus.</i> | C. of Good Hope. |
| 11 Capensis | Cape | ———— | ———— |
| 12 Siculus | Sicilian | ———— | Coast of Sicily. |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
|---------------------|---------------------|--------------------------|-----------------|

| | | | |
|---------------|------------------|--|--|
| LEPAS. | BARNACLE. | | |
|---------------|------------------|--|--|

| | | | |
|------------|--------------|--------------------------------|---------------|
| 1 aculeata | spiny-ribbed | <i>M. Cab.</i> | African Seas. |
| 2 pulchra | wrinkled | <i>Br. Mus.</i> | Corsica. |
| 3 Peronii | Peron's | ———— | South Seas. |
| 4 Pyrgoma | ribbed | ———— | West Indies. |
| 5 Lyonii | Lyon's | ———— | Indian Seas. |
| 6 Homii | Home's | ———— | South Seas. |
| 7 angulosa | angular | <i>S. G. S. No. 26, pl. 2.</i> | |

| | | | |
|----------------|-----------------|--|--|
| PHOLAS. | PIERCER. | | |
|----------------|-----------------|--|--|

| | | | |
|---------------|--------------|--------------------------------|--------------|
| 1 papyracea | Paper | <i>Au. Cab.</i> | Britain. |
| 2 tuberculata | tuberculated | <i>Turt. B. t. 1, f. 7, 8.</i> | ———— |
| 3 lamellata | lamellated | <i>Turt. B. t. 1, f. 5, 6.</i> | ———— |
| 4 Ovum | egg-shaped | <i>Br. Mus.</i> | West Indies. |

| | | | |
|-------------|---------------|--|--|
| MYA. | GAPER. | | |
|-------------|---------------|--|--|

| | | | |
|-------------|-------------|------------------------------|--------------------|
| 1 rotunda | round | <i>Au. Cab.</i> | N. America. Fr. w. |
| 2 oblongata | brown-rayed | ———— | ———— |
| 3 alata | winged | <i>Sw. B. z. Con. No. 1.</i> | ———— |

| <i>Lin. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|--------------------|---------------------|--------------------------|-------------------|
| 4 <i>nasuta</i> | lancet-shaped | <i>Au. Cab.</i> | N. Amer. Fr.w. |
| 5 <i>undulata</i> | dark-streaked | ———— | ———— |
| 6 <i>gravis</i> | heavy | ———— | ———— |
| 7 <i>rugulosa</i> | green, wrinkled | ———— | ———— |
| 8 <i>obliqua</i> | oblique | <i>Br. Mus.</i> | ———— |
| 9 <i>ambigua</i> | doubtful | ———— | ———— |
| 10 <i>rigida</i> | rigid | ———— | ———— |
| 11 <i>prælonga</i> | lengthened | ———— | ———— |
| 12 <i>angulata</i> | sharp-cornered | <i>M. Cab.</i> | S. America. Fr.w. |

SOLEN. RAZOR.

| | | | |
|------------------------|---------------|-----------------|--------------|
| 1 <i>Mediterraneus</i> | dark-rayed | <i>Br. Mus.</i> | Sardinia. |
| 2 <i>corneus</i> | horn-coloured | ———— | u. |
| 3 <i>lividus</i> | pale | ———— | New Holland. |
| 4 <i>orbiculatus</i> | orbicular | ———— | u. |
| 5 <i>tenuis</i> | slender | <i>M. Cab.</i> | — |
| 6 <i>politus</i> | polished | ———— | — |

TELLINA. TELLEN.

| | | | |
|--------------------|------------|-----------------|--------------|
| 1 <i>Childreni</i> | Children's | <i>Br. Mus.</i> | Brazil. |
| 2 <i>convexa</i> | round | ———— | New Holland. |
| 3 <i>lutea</i> | yellowish | ———— | u. |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
| 4 pulchella | orange-streaked | <i>M. Cab.</i> | u. |
| 5 elegans | beaked | — | — |
| 6 ochroleuca | ochre-coloured | — | — |

MACTRA.

MACTRA.

| | | | |
|-------------------|--------------------|-----------------|-----------------|
| 1 cyprinus | brittle | <i>Br. Mus.</i> | Peru. |
| 2 recurva | recurved | — | u. |
| 3 Campechensis | grooved | — | Campeachy. |
| 4 tenera | thin spotted | — | Van Dieman's L. |
| 5 similis | rough coated | — | — |
| 6 subplicata | wrinkle-skinned | — | Tranquebar. |
| 7 alata | pale single-ridged | — | u. |
| 8 Veneriformis | Venus-shaped | — | — |
| 9 denticulata | toothed | — | — |
| 10 subtriangulata | truncated | — | — |
| 11 ovata | oval | — | — |
| 12 Taprobanensis | smooth, angular | — | Ceylon. |

DONAX.

DONAX.

| | | | |
|--------------|---------------|-----------------|--------------|
| 1 Scalpellum | slender | <i>Br. Mus.</i> | u. |
| 2 Stultorum | mactra-shaped | — | Indian Seas. |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
| 3 Madagascariensis | ribbon | <i>M. Cab.</i> | Madagascar. |
| 4 biradiata | two-rayed | ———— | Isle of France. |
| 5 sexradiata | six-rayed | ———— | ———— |

VENUS.

VENUS.

| | | | |
|-------------------|-----------------|-----------------|---------------|
| 1 lamellata | rough, ridged | <i>Br. Mus.</i> | New Holland. |
| 2 Berrii | Capuchin | ———— | u. |
| 3 elegans | cockle-shaped | ———— | Brazil. |
| 4 Stutchburii | Stutchbury's | ———— | Sandwich Isl. |
| 5 similis | spotted | ———— | China. |
| 6 subrugosa | roughish | <i>M. Cab.</i> | Panama. |
| 7 subrostrata | slightly beaked | <i>Br. Mus.</i> | New Holland. |
| 8 papyracea | Paper | ———— | ———— |
| 9 Kingii | King's | ———— | S. Seas. |
| 10 aphrodisioides | grated | ———— | ———— |
| 11 hians | gaping | ———— | China. |
| 12 aurisiaca | golden-valved | ———— | u. |
| 13 Childreni | Children's | ———— | — |
| 14 cyprinoides | strong marked | ———— | Japan. |
| 15 costulata | mottle ribbed | <i>M. Cab.</i> | S. Seas. |

| <i>Linna. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|----------------------|---------------------|--------------------------|-----------------|
| 16 pulchra | smooth-rayed | <i>M. Cab.</i> | S. Seas. |
| 17 Damaoides | interrupted | <i>Br. Mus.</i> | East Indies. |

CHAMA. CLAMP.

| | | | |
|----------------|----------------|-----------------|-------------|
| 1 angulata | angular | <i>Br. Mus.</i> | N. Holland. |
| 2 rostrata | beaked | ———— | u. |
| 3 incrassata | heavy, grooved | ———— | — |
| 4 Australis | Cockle | ———— | N. Holland. |
| 5 crassicosata | thick-ribbed | ———— | u. |
| 6 pectinata | comb-shaped | ———— | — |

ARCA. ARK.

| | | | |
|---------------|----------------|-----------------|-------------------|
| 1 Americana | regular shaped | <i>Br. Mus.</i> | Bay of Campeachy. |
| 2 semitorta | winged | ———— | u. |
| 3 cylindrica | cylindric | ———— | — |
| 4 obliquata | mussel-shaped | ———— | — |
| 5 tellinoides | tellen-shaped | ———— | Cumana. |
| 6 glacialis | small brittle | ———— | North Sea. |
| 7 Braziliana | Brazilian | ———— | Brazil. |
| 8 nodosa | tuberculated | ———— | u. |
| 9 Rostrum | beak-shaped | ———— | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|-------------------------|---------------------|--------------------------|-----------------|
| 10 <i>elongata</i> | lengthened | <i>Br.Mus.</i> | u. |
| 11 <i>pectiniformis</i> | pecten-shaped | — | — |
| 12 <i>squamosa</i> | scaly | — | — |

OSTREA. OYSTER.

| | | | |
|------------------------|--------------|----------------|----------------|
| 1 <i>asperima</i> | roughish | <i>Br.Mus.</i> | South Sea. |
| 2 <i>muscosa</i> | prickly | — | — |
| 3 <i>Tegula</i> | tile-ribbed | <i>M.Cab.</i> | u. |
| 4 <i>ornata</i> | mottled | — | Tranquebar. |
| 5 <i>subauriculata</i> | little-eared | <i>Br.Mus.</i> | Great Britain. |
| 6 <i>elliptica</i> | shapeless | — | Nile Fr. w. |
| 7 <i>gigantea</i> | gigantic | — | u. |
| 8 <i>angulata</i> | angular | — | Africa. |

ANOMIA. ANOMIA.

| | | | |
|---------------------|---------------|----------------|--------------|
| 1 <i>dentata</i> | toothed | <i>Br.Mus.</i> | u. |
| 2 <i>ostreoides</i> | oyster-shaped | — | Africa. |
| 3 <i>rosea</i> | rose-coloured | — | N. Holland. |
| 4 <i>rubra</i> | red-coloured | <i>M.Cab.</i> | East Indies. |

MYTILUS. MUSSEL.

| | | | |
|--------------------|---------|----------------|-------------|
| 1 <i>Niloticus</i> | Nilotic | <i>Br.Mus.</i> | Nile Fr. w. |
|--------------------|---------|----------------|-------------|

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
| 2 dilatatus | dilated | <i>Br.Mus.</i> | u. |
| 3 castaneus | chestnut | — | China. |
| 4 Folium | leafy | — | u. |
| 5 lævigatus | Northern | — | Polar Seas. |
| 6 Volgensis | mottled | — | Volga. Fr.w. |

CÓNUS. CONE.

| | | | |
|---------------|-------------|---------------|-------------|
| 1 brunneus | brown | <i>M.Cab.</i> | u. |
| 2 interruptus | dotted | — | — |
| 3 gracilis | slender | — | Timor. |
| 4 lucidus | bright | — | South Sea. |
| 5 Balteus | girdled | — | u. |
| 6 gradatus | interrupted | — | California. |

CYPRÆA. COWRY.

| | | | |
|----------------|----------------|---------------|----------|
| 1 tessellata | painted | <i>M.Cab.</i> | S. Seas. |
| 2 lactea | milky | — | — |
| 3 sulcidentata | strong-toothed | — | — |
| 4 Listeri | ocellated | — | — |
| 5 arenosa | sand | — | — |
| 6 Turdus | thrush-backed | — | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|-------------------------|---------------------|--------------------------------|------------------|
| 7 <i>Arabicula</i> | snake-skin | <i>M. Cab.</i> | S. Seas. |
| 8 <i>quadrimaculata</i> | four-spotted | ———— | u. |
| 9 <i>interstincta</i> | spotted | ———— | — |
| 10 <i>aperta</i> | open-mouthed | ———— | — |
| 11 <i>commixta</i> | blended | ———— | Ind. Ocean. |
| 12 <i>nivea</i> | white-banded | ———— | S. Seas. |
| 13 <i>umbilicata</i> | umbilicated | <i>Tan. Cat. p. 30, pl. 7.</i> | u. |
| 14 <i>Algoensis</i> | Algoa Bay | <i>Br. Mus.</i> | Africa. |
| 15 <i>rosea</i> | violet | ———— | Ind. Ocean. |
| 16 <i>Childreni</i> | Children's | ———— | u. |
| 17 <i>clandestina</i> | angular-streaked | ———— | S. Seas. |
| 18 <i>Capensis</i> | Cape | ———— | C. of Good Hope. |

BULLA. DIPPER.

| | | | |
|--------------------|-------------|------------------|--------------|
| 1 <i>lineata</i> | linear | <i>Br. Mus.</i> | New Holland. |
| 2 <i>elegans</i> | inflated | <i>Gray Cab.</i> | Britain. |
| 3 <i>decussata</i> | pear-shaped | <i>M. Cab.</i> | Panama. |

VOLUTA. VOLUTE.

| | | | |
|--------------------|--------|-----------------|----|
| 1 <i>subnodosa</i> | zigzag | <i>Br. Mus.</i> | u. |
|--------------------|--------|-----------------|----|

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|-----------------------------|-------------------------------------------------------|--------------------|
| 2 gracilis | slender | <i>Br.Mus.</i> | u. |
| 3 Fulgetrum | lightning | <i>Tan.Cat.pl.28, pl.4</i> & 5. | — |
| 4 aulica | red-clouded | <i>Tan.Cat.p.29,p.6.</i> | Ind. Oc. |
| 5 Flammula | flame-marked | <i>Tan.Cat.pl.3,fig.1.</i> [<i>V. cymbiola.</i>] | u. |
| 6 pulchra | speckled flesh- coloured | <i>Tan.Cat.p.28,pl.3,f.2.</i> | u. |
| 7 Goodalli | Goodall's | <i>Br.Mus.</i> | — |
| 8 marginata | double-banded | ———— | — |
| 9 Pusio | five-banded | ———— | — |
| 10 vittata | ribbon | ———— | — |
| 11 lyriformis | lyre-shaped | ———— | — |
| 12 lugubris | dark-coloured | ———— | — |
| 13 zonata | zoned | ———— | Mediterranean. |
| 14 contracta | contracted | <i>M.Cab.</i> | u. |
| 15 Australis | Southern | ———— | Van Dieman's Land. |
| 16 Pyramis | taper | ———— | u. |
| 17 rigida | stiff, ribbed | ———— | — |
| 18 crassa | heavy | ———— | South Sea. |
| 19 punctata | dotted | ———— | ———— |
| 20 marmorata | marbled | ———— | u. |
| 21 angulata | cornered | ———— | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
| 22 tuberculata | pimpled | <i>M. Cab.</i> | S. Seas. |
| 23 rubiginosa | reddish | ———— | v. |
| 24 modesta | open-mouthed | ———— | — |
| 25 Lens | lentil-shaped | ———— | — |
| 26 Harpa | Harp-shaped | ———— | — |
| 27 Fragaria | Strawberry | ———— | — |
| 28 unifasciata | single-banded | ———— | — |
| 29 corrugata | wrinkled | ———— | — |
| 30 Filum | Thread | ———— | — |
| 31 tessellata | mosaic | ———— | — |
| 32 ignea | reticulated | ———— | — |
| 33 Nux | Hazel | <i>Br. Mus.</i> | — |
| 34 columellaris | thick-lipped | ———— | — |
| 35 Peruviana | Peruvian | ———— | S. America. |
| 36 cærulea | blue-banded | <i>M. Cab.</i> | v. |
| 37 Dama | fawn-spotted | ———— | S. Sea. |
| 38 tenebrosa | dark | ———— | ———— |

BUCCINUM. WHELK.

| | | | |
|----------------|-----------------|-----------------|----|
| 1 ringens | wry-mouthed | <i>Br. Mus.</i> | v. |
| 2 semigranosum | lightly grained | ———— | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
| 3 melanostoma | thick-ribbed | <i>Br.Mus.</i> | u. |
| 4 tenue | thin-coated | <i>M.Cab.</i> | — |
| 5 coarctatum | Roller | — | — |
| 6 Rudolphi | purple-marked | — | — |
| 7 distortum | misshapen | — | — |
| 8 Bulbus | bulbous | — | — |
| 9 subrostratum | channeled | — | — |
| 10 brevidentatum | short-toothed | — | — |
| 11 denticulatum | small-toothed | — | — |
| 12 armatum | single-spined | — | — |
| 13 tectum | knob-whirled | — | — |
| 14 callosum | thick-skinned | — | — |
| 15 Planaxis | girdled | — | — |
| 16 Tankervillei | Tankerville's | <i>Br.Mus.</i> | — |
| 17 marginatum | marginated | — | — |
| 18 Strombiforme | strombus-shaped | — | — |
| 19 fulgurans | Lightning | — | — |
| 20 chlorostoma | thick-lipped | — | — |
| 21 Terpsichore | small spotted | — | — |
| 22 lineolatum | slender lined | — | — |
| 23 roseum | rose harp | — | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
| 24 minus | clouded harp | <i>Br.Mus.</i> | u. |
| 25 elongatum | long | <i>M.Cab.</i> | India, |
| 26 Noveboracensis | New York | <i>GrayCab.</i> | America. |
| 27 melanopsis | brown, furrowed | ———— | S. of Europe. |
| 28 prærosum | Spindle | ———— | ———— |
| 29 lævigatum | smooth | ———— | u. |
| 30 Zebra | Zebra | ———— | Pacific Ocean. |

STROMBUS. SCREW.

| | | | |
|---------------|-----------|---------------|---------------|
| 1 gracilior | indented | <i>Br.M.</i> | u. |
| 2 variabilis | streaked | ———— | — |
| 3 labiosus | spreading | ———— | — |
| 4 jugosus | ridged | ———— | Indian Ocean. |
| 5 floridus | florid | <i>M.Cab.</i> | ———— |
| 6 cancellatus | Spindle | <i>Br.M.</i> | u. |
| 7 zonatus | zoned | <i>M.Cab.</i> | — |
| 8 obtusus | blunt | <i>Br.M.</i> | — |
| 9 petrosus | rocky | <i>M.Cab.</i> | East Indies. |
| 10 rugosus | rugged | <i>Br.M.</i> | u. |
| 11 lineolatus | lined | ———— | — |

| <i>Linna. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|----------------------|---------------------|--------------------------|-----------------|
| 12 incisus | notch-lipped | <i>Br.M.</i> | u. |
| 13 Galea | Helmet | _____ | — |
| 14 Galea junior | young helmet | _____ | — |
| 15 bituberculatus | Banner | _____ | — |
| 16 tricornis | three-horned | _____ | — |
| 17 Thersites | spotted | _____ | — |
| 18 variabilis(var.) | spot mouth | _____ | — |
| 19 Persicus | Persian | _____ | Persian Gulf. |
| 20 dilatatus | dilated mouth | _____ | u. |
| 21 granulatus | granulated | _____ | — |
| 22 auritus | eared | _____ | — |
| 23 Byronensis | nailed | _____ | S. Amer. |
| 24 Sayii | top-shaped | _____ | N. Amer. |

MUREX.**ROCK.**

| | | | |
|--------------|----------------|--------------|----|
| 1 costularis | prickly-lipped | <i>Br.M.</i> | u. |
| 2 Papilla | Nipple | _____ | — |
| 3 rigidus | rigid | _____ | — |
| 4 cristatus | horned | _____ | — |
| 5 Mitra | Mitre | _____ | — |
| 6 echinatus | echinated | _____ | — |

| <i>Lin. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|--------------------|---------------------|--------------------------|-----------------|
| 7 bicarinatus | double-keeled | <i>Br.M.</i> | u. |
| 8 elegans | slender | — | — |
| 9 Pleurotoma | ribbed | — | — |
| 10 sanguineus | red-ribbed | <i>M.Cab.</i> | — |
| 11 unifasciatus | white-banded | — | — |
| 12 acuminatus | sharp-pointed | — | — |
| 13 regius | imperial | <i>Sw.Ex.Con.part2.</i> | S. Seas. |
| 14 Salmo | salmon-coloured | <i>M.Cab.</i> | u. |
| 15 ceratus | wax-noduled | — | — |
| 16 Ferrugo | rusty | — | — |
| 17 Funiculus | corded | — | — |
| 18 labiosus | lipped | — | — |
| 19 aculeatus | spiny | — | — |
| 20 pinnatus | winged | <i>Bligh Cat.p.18.</i> | — |
| 21 exasperatus | rough-coated | <i>M.Cab.</i> | — |
| 22 cariosus | carious | — | — |
| 23 subglobosus | roundish | — | — |
| 24 pictus | painted | — | — |
| 25 mitriformis | brown striated | — | Isle of France. |
| 26 curvirostris | curve-beaked | <i>Br.M.</i> | u. |

| <i>Linna. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|----------------------------|---------------------|--------------------------|-------------------|
| TROCHUS. TOP-SHELL. | | | |
| 1 undosus | waved | <i>M. Cab.</i> | California. |
| 2 Unguis | clawed | _____ | _____ |
| 3 olivaceus | olive gray | _____ | S. Sea. |
| 4 Pellis Serpentis | snake skin | _____ | Panama. |
| 5 armillatus | beaded | _____ | S. Sea. |
| 6 acuminatus | sharp-edged | _____ | _____ |
| 7 rugosus | rough | <i>Br. M.</i> | v. |
| 8 Listeri | Lister's | _____ | — |
| 9 elegantulus | red, rough | _____ | Ceylon. |
| 10 Tankervillei | Tankerville's | _____ | v. |
| 11 granosus | grained | _____ | — |
| 12 taeniatus | Ribbon | _____ | — |
| 13 lævis | smooth | _____ | — |
| 14 albidus | whitish | <i>Au. Cab.</i> | Ireland. |
| 15 Clelandi | small dotted | _____ | _____ |
| 16 quadricostatus | four-ribbed | <i>Br. M.</i> | v. |
| 17 Byronianus | shaded | _____ | Sandwich Islands. |

| <i>Lin. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|--------------------|---------------------|--------------------------|-----------------|
| 18 Zebra | Zebra | <i>Br.M.</i> | v. |
| 19 elongatus | lengthened | _____ | — |
| 20 Smithii | Smith's | _____ | — |
| 21 reticularis | blunt-tipped | _____ | — |
| 22 articulatus | interrupted | _____ | — |
| 23 filusus | threaded | _____ | — |
| 24 Trochlea | Screw | _____ | — |
| 25 atratus | sombre | _____ | — |
| 26 obscurus | doubtful | _____ | — |
| 27 Maugeri | warted | _____ | — |
| 28 pictus | painted | _____ | — |
| 29 formosus | ornamented | <i>Gray Cab.</i> | — |
| 30 æqualis | small, flattish | _____ | — |
| 31 clangulus | Trumpet | _____ | — |
| 32 Mediterraneanus | clouded | _____ | Mediterranean. |
| 33 callosus | thick-skinned | _____ | v. |
| 34 zonatus | zoned | _____ | — |
| 35 concameratus | dome-shaped | _____ | — |
| 36 viridis | green, striped | _____ | — |
| 37 odontis | Mulberry | _____ | — |
| 38 reticulatus | reticulated | _____ | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|------------------------|---------------------|--------------------------|-----------------|
| 39 <i>clanguloides</i> | regularly marked | <i>Gray Cab.</i> | u. |
| 40 <i>sulcatus</i> | furrowed | _____ | — |
| 41 <i>indistinctus</i> | indistinct | _____ | — |
| 42 <i>interruptus</i> | mottle-banded | _____ | Ireland. |
| 43 <i>Montagui</i> | Montagu's | _____ | _____ |
| 44 <i>Calyculus</i> | Cup | _____ | u. |
| 45 <i>pulcherrimus</i> | elegant | _____ | — |
| 46 <i>badius</i> | chesnut-coloured | _____ | S. Seas. |

TURBO.

WREATH.

| | | | |
|-----------------------|-----------------|--------------|--------------|
| 1 <i>niger</i> | black | <i>Br.M.</i> | u. |
| 2 <i>Petiverianus</i> | Petiver's | _____ | — |
| 3 <i>Jamaicensis</i> | Jamaica | _____ | W. Indies. |
| 4 <i>pulcher</i> | plaited mouth | _____ | u. |
| 5 <i>lævis</i> | smooth | _____ | — |
| 6 <i>Chemnitzii</i> | Chemnitz's | _____ | — |
| 7 <i>Australis</i> | Southern | _____ | New Holland. |
| 8 <i>Fascia</i> | banded | _____ | u. |
| 9 <i>fulvus</i> | tawny | _____ | Minorca. |
| 10 <i>elongatus</i> | finely-striated | _____ | u. |

| <i>Lin. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|--------------------|---------------------|--------------------------|-----------------|
| 11 maculatus | spotted | <i>Au. Cab.</i> | Britain. |
| 12 Anglicus | broad-toothed | ———— | ———— |
| 13 rufescens | reddish | <i>Gray Cab.</i> | ———— |
| 14 edentulus | toothless | ———— | ———— |
| 15 fuscus | brown | ———— | ———— |
| 16 raricostatus | net-work | <i>Br. M.</i> | u. |
| 17 lamellosus | distant-ribbed | ———— | — |
| 18 Australis | Southern | ———— | New Holland. |
| 19 varicosus | close-ribbed | ———— | ———— |
| 20 Martinii | Martini's | ———— | u. |
| 21 Columna | Pillar | <i>Gray Cab.</i> | — |
| 22 mirabilis | broad-lipped | ———— | — |
| 23 aurantius | Orange | ———— | — |
| 24 formosus | elegant | ———— | W. Indies. |
| 25 varius | speckled | ———— | u. |
| 26 lineolatus | marked | ———— | Isle of France. |
| 27 bulimoides | Bulimus-shaped | ———— | ———— |
| 28 Francesii | dark-banded | ———— | E. Indies. |
| 29 minimus | dotted | ———— | u. |
| 30 tuberculatus | knobbed | ———— | — |
| 31 flavidus | cylindrical | ———— | — |

| <i>Lin. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|--------------------|-------------------------|-----------------------------------------------------|-----------------|
| 22 conica | conical | <i>Br.M.</i> | u. |
| 23 Listeri | Lister's | ——— | — |
| 24 goniosstoma | angular-mouthed | ——— | Brazil. Fr.w. |
| 25 odontostoma | six-toothed | ——— | ——— L. |
| 26 lævissima | smooth, striped | ——— | S. America. |
| 27 Kingii | King's | ——— | New Holland. |
| 28 Dufresnii | Dufresne's | ——— | ——— |
| 29 pulchra | Garter | <i>Gray Cab.</i> | u. |
| 30 Byronii | Lord Byron's | ——— | Otaheite. |
| 31 Maugeri | Mauger's | ——— | W. Indies. |
| 32 nigrescens | three-toothed, black | ——— | u. |
| 33 Tripolitana | African | ——— | Tripoli. |
| 34 Sayii | Say's | ——— | N. America. |
| 35 globulosa | inflated | <i>Fer.t.25.f.4.</i> | u. |
| 36 Caffra | thin, streaked | <i>Fer.t.9.A.f.8.</i> | Africa. |
| 37 conformis | shapely | <i>Fer.t.25.A.f.10.</i> | Molucca. |
| 38 Prunum | plum-shaped | <i>Fer.t.26.f.7,8,9.</i> | N.Holland. |
| 39 contusa | blunt-tipped | <i>Fer.t.31.f.1. & t.39.</i> <i>B.f.5,6.</i> | Brazil. |
| 40 deformis | deformed | <i>Fer.t.32.A.f.1.</i> | Mediterr. |
| 41 Nicæensis | double-banded | <i>Fer.t.28.f.1,2.</i> | ——— |

| <i>Linna. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|----------------------|---------------------|----------------------------------------------------------|-----------------|
| 42 Meridionalis | Southern | <i>Fer.t.29,f.4,5.</i> (<i>Otahietana.</i>) | Otaeti. |
| 43 Melitensis | Quince | <i>Fer.t.25,f.11,12.</i> | Malta. |
| 44 circumornata | spotted whirl | <i>Fer.t.41,f.2.</i> | u. |
| 45 granosa | grained | <i>Fer.t.44,f.1-3.</i> (<i>aspera.</i>) | America. |
| 46 discolor | discoloured | <i>Fer.t.46,f.3-6.</i> | S. America. |
| 47 Lima | File | <i>Fer.t.46,f.1&2.</i> | Porto Rico. |
| 48 dentiens | indented lip | <i>Fer.t.49.A.f.2.</i> | S. America. |
| 49 parilis | orange | <i>Fer.t.49,f.2.</i> | Gaudaloupe. |
| 50 Imperator | claw-mouthed | <i>Fer.t.52.</i> | America. |
| 51 Soror | four-toothed | <i>Fer.t.54,f.4.</i> | W. Indies? |
| 52 Zodiacus | white-banded, red | <i>Fer.t.75,f.2.</i> | u. |
| 53 concisa | diagonally-striated | <i>Fer.t.78,f.3 & 4.</i> | — |
| 54 Pellicula | thin-skinned | <i>Fer.t.105,f.1.</i> | — |
| 55 Strobilus | red-banded | <i>Fer.t.103,f.1.</i> | — |
| 56 Alauda | double-striped | <i>Fer. t. 103, f. 2, 3. &</i> <i>140, f.4,5.</i> | — |
| 57 Carina | sharp-edged | <i>Fer.t.60,f.2.</i> (<i>Lampas.</i>) | E. Indies. |
| 58 Pileolus | conical | <i>Fer.t.63.A.f.1,2.</i> | u. |
| 59 bipartita | party-coloured | <i>Fer.t.75.A.f.1.</i> | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------------|----------------------|--------------------------|---------------------|
| 60 <i>sinistrorsa</i> | reversed | <i>Fer.t.32.f.2,3.</i> | Cape of G. Hope. L. |
| 61 <i>Listeriana</i> | Wheel | <i>Br.M.</i> | W. Indies. |
| 62 <i>scabra</i> | rough-skinn'd | _____ | _____ |
| 63 <i>Brownii</i> | Brown's | _____ | _____ |
| 64 <i>scitula</i> | straw-coloured | _____ | _____ |
| 65 <i>aureola</i> | somewhat golden | _____ | _____ |
| 66 <i>Fibula</i> | Button | _____ | Sicily. |
| 67 <i>lævis</i> | smooth, broad-lipped | _____ | Ceylon. |
| 68 <i>lineata</i> | striped | _____ | E. Indies. |
| 69 <i>labrosa</i> | edge-lipped | _____ | v. |
| 70 <i>Petiveriana</i> | Petiver's | _____ | — |
| 71 <i>dentata</i> | toothed | _____ | — |
| 72 <i>fasciolata</i> | brown-streaked | <i>M. Cab.</i> | — |
| 73 <i>sulculata</i> | beaked | _____ | — |
| 74 <i>subplicata</i> | fallow | <i>Br.M.</i> | — |
| 75 <i>Auris Leporis</i> | Hare's Ear | _____ | — |
| 76 <i>papyracea</i> | paper | _____ | — |
| 77 <i>scobinata</i> | rough-coated | <i>M. Cab.</i> | — |
| 78 <i>Vexillum</i> | Banner | _____ | — |
| 79 <i>Porto Sancta-na</i> | Porto Santo | _____ | Madeiras. |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|--------------------------|--------------------------|-----------------|
| 80 punctulata | small dotted | <i>M. Cab.</i> | u. |
| 81 exalbida | whitish | _____ | — |
| 82 Bulverii | Bulwer's | _____ | — |
| 83 tectiformis | roof-shaped | _____ | — |
| 84 Madeirensis | little brown band- ed | _____ | Madeira. |
| 85 bicarinata | double-keeled | _____ | u. |

NERITA.

NERITE.

| | | | |
|----------------|-------------------|------------------|--------------|
| 1 duplicata | doubled | <i>Br.M.</i> | S. America. |
| 2 patula | wide snail-shaped | _____ | _____ |
| 3 plumbea | lead-coloured | _____ | _____ |
| 4 ornata | tooth-lipped | _____ | _____ |
| 5 Australis | Cap | _____ | New Holland. |
| 6 crepidularia | Slipper | _____ | _____ |
| 7 intricata | mottled | <i>D.1.</i> | Britain, &c. |
| 8 Oweniana | shapeless | _____ | Africa. |
| 9 cariosa | angular-mouthed | <i>Gray Cab.</i> | _____ |
| 10 Caffra | Negro | _____ | _____ |
| 11 Smithii | Smith's | _____ | _____ |
| 12 spinosa | spiny | _____ | _____ |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|--------------------|
| 13 rudis | unwrought | <i>Gray Cab.</i> | Africa. |
| 14 glabra | smooth | — | — |
| 15 semiconica | dark spotted | <i>M. Cab.</i> | India. |
| 16 Owenii | Owen's | — | Africa. |
| 17 Canalis | channeled | — | South Sea Islands. |
| 18 pulchella | Festoon | <i>Br.M.</i> | W. Indies. |

HALIOTIS. SEA-EAR.

| | | | |
|--------------|--------------|--------------|--------------------|
| 1 rubra | red | <i>Br.M.</i> | New Holland. |
| 2 tricostata | three-ribbed | — | u. |
| 3 sulcifera | blotched | — | Van Dieman's Land. |
| 4 imbricata | imbricated | — | New Holland. |
| 5 Mariæ | fluted | — | u. |
| 6 corrugata | wrinkled | — | — |

PATELLA. LIMPET.

| | | | |
|--------------|-----------|--------------|----|
| 1 angulata | angular | <i>Br.M.</i> | u. |
| 2 Poculum | Cup | — | — |
| 3 Peziza | Jew's Ear | — | — |
| 4 scutellata | crenated | — | — |

| <i>Linn. names.</i> | <i>Engl. names.</i> | <i>Synon. & Ref.</i> | <i>Habitat.</i> |
|---------------------|---------------------|--------------------------|-----------------|
| 6 Extinctorium | Extinguisher | <i>Br.M.</i> | u. |
| 6 Laqueare | grooved | ———— | — |
| 7 hiantula | key-hole | ———— | — |
| 8 crystallina | brittle | ———— | — |

SERPULA. WORM-SHELL.

| | | | |
|-------------|---------------|------------------------------------------|--------------|
| 1 filograna | thread-like | <i>Au. Cab. Lam. 5,</i> <i>p.364.</i> | Britain, &c. |
| 2 maxima | large | <i>Br.M.</i> | ———— |
| 3 fuscata | brown | ———— | ———— |
| 4 rosea | rose-coloured | <i>M.Cab.</i> | u. |

REFERENCES

LAMARCK'S - ANIMALS LAW EXPERIMENTES

CHAPTER 10

THE FIGURES IN THE - INDEX TENTACULOGICAL -

The numbers in *Index* refer to the *Supplement*, and are not in *Lamarck*.

ACASTA

Vol. 2, p. 387.

Pl. 34.

1 Montagu's *Lepus*; ... 1 16

ACHATINA

Vol. 6, pt. 2, p. 128.

| | | |
|------------------------------------------|----|-----|
| 1 <i>Perdix</i> (<i>Bulla</i>) | 18 | 51 |
| 4 <i>purpurea</i> | 18 | 54 |
| 6 <i>bicarinata</i> | 18 | 55 |
| 10 <i>Vexillum</i> | 18 | 45 |
| 11 <i>virginica</i> | 18 | 45 |
| 12 <i>Prismus</i> | 18 | 51 |
| 13 <i>Glaus</i> | 18 | 54 |
| 15 <i>albo-lineata</i> (<i>Voluta</i>) | 20 | 107 |
| 16 <i>fusco-lineata</i> (<i>Bulla</i>) | 18 | 55 |
| <i>Byronii</i> (<i>Helix</i>) | 7 | 30 |

AMPHIDESMA

Vol. 2, p. 388.

Pl. 34.

| | | |
|-----------------------------------|---|---|
| 2 <i>monocilia</i> <i>Donner</i> | 2 | 2 |
| 3 <i>incrinata</i> <i>Tellam</i> | 4 | 5 |
| 4 <i>Byronii</i> <i>Musca</i> | 2 | 2 |
| 5 <i>tenue</i> <i>Musca</i> | 2 | 2 |
| 6 <i>decussatum</i> <i>Tellam</i> | 4 | 5 |
| 10 <i>primaticum</i> <i>Mus</i> | 2 | 2 |

AMPELLARIA

Vol. 6, pt. 2, p. 128.

| | | |
|----------------------------------|----|----|
| 3 <i>rugosa</i> (<i>Helix</i>) | 22 | 72 |
| 5 <i>fasciata</i> | 22 | 71 |
| 5 <i>effusa</i> | 22 | 72 |
| 6 <i>Gainsica</i> | 24 | 97 |
| 9 <i>Avellana</i> | 24 | 96 |
| <i>conica</i> | 7 | 94 |

| | Pl. | Fig. |
|---------------------------------------|-----|------|
| <i>Listeri</i> (<i>Helix</i>) | 7 | 23 |
| <i>Kingii</i> | 7 | 27 |
| <i>Dufrenoyi</i> | 7 | 28 |
| <i>pulcher</i> | 7 | 29 |
| <i>Maugeri</i> | 7 | 31 |
| <i>lævis</i> | 8 | 67 |
| <i>labrosus</i> | 8 | 69 |
| <i>Auris Leporis</i> | 8 | 75 |
| <i>papyraceus</i> | 8 | 76 |
| <i>scobinatus</i> | 8 | 77 |
| <i>Vexillum</i> | 8 | 78 |

BULLA.

Vol. 6. pt. 2. p. 31.

The specific names the same as the
Linnean, except

| | | |
|------------------|----|----|
| 3 striata | 18 | 19 |
| 6 fasciata | 18 | 27 |
| 11 solida | 18 | 56 |

BULLÆA.

Vol. 6. pt. 2. p. 29.

| | | |
|---------------------------------|----|----|
| 1 aperta (<i>Bulla</i>) | 18 | 14 |
|---------------------------------|----|----|

CALYPTRÆA.

Vol. 6. pt. 2. p. 20.

| | | |
|-----------------------------------|----|---|
| 3 equestris (<i>Patella</i>) .. | 37 | 1 |
| 4 Tectum Sinense | 37 | 3 |
| angulata | 8 | 1 |
| Poculum | 8 | 2 |
| Peziza | 8 | 3 |

| | | |
|--------------------|---|---|
| scutellata | 8 | 4 |
| Extinctorium | 8 | 5 |

CANCELLARIA.

Vol. 7. p. 111.

| | | |
|-----------------------------------|----|-----|
| 1 reticulata (<i>Voluta</i>) .. | 20 | 71 |
| 3 scalarina | 20 | 83 |
| 5 nodulosa (<i>Buccinum</i>) | 24 | 124 |
| 6 cancellata (<i>Voluta</i>) .. | 20 | 82 |
| 7 senticosa (<i>Murex</i>) .. | 26 | 38 |
| 11 rugosa (<i>Voluta</i>) | 20 | 116 |
| 12 Ziervogeliana | 20 | 72 |

CAPSA.

Vol. 5. p. 553.

| | | |
|--------------------------------|---|----|
| 1 lævigata (<i>Donax</i>) .. | 6 | 14 |
|--------------------------------|---|----|

CARDITA.

Vol. 6. p. 20.

| | | |
|---------------------------------|---|----|
| 1 sulcatus (<i>Chama</i>).... | 9 | 4 |
| 3 turgidus | 9 | 7 |
| 9 trapezoides | 9 | 8 |
| 4 phreniticus | 9 | 9 |
| 14 rufescens | 9 | 19 |
| 15 calyculatus | 9 | 10 |
| 19 concameratus | 9 | 15 |
| <i>incrassatus</i> | 2 | 3 |

CARDIUM.

Vol. 6. p. 2.

The same specific names as the
Linnean.

CARINARIA.

Vol. 7. p. 671.

| | Pl. | Fig. |
|---------------------------------|-----|------|
| <i>vitrea (Argonauta)</i> | 13 | 6 |

CAROCOLLA.

Vol. 6. pt. 2. p. 94.

| | | |
|-----------------------------------|----|----|
| 2 albilabris (<i>Helix</i>) ... | 33 | 34 |
| 4 Labyrinthus | 33 | 27 |
| 5 Lucerna | 33 | 30 |
| 6 inflata | 33 | 44 |
| 11 marginata | 32 | 4 |
| 12 Lychnuchus | 33 | 31 |
| 16 Lapicida | 32 | 3 |
| 17 albella..... | 32 | 9 |
| 18 elegans (<i>Trochus</i>) ... | 29 | 73 |
| <i>Soror (Helix)</i> | 7 | 51 |
| <i>Listera</i> | 8 | 61 |

CASSIDARIA.

Vol. 7. p. 214.

| | | |
|-----------------------------------|----|----|
| 1 echinophora (<i>Buccinum</i>) | 22 | 9 |
| 2 Tyrrhena..... | 22 | 11 |

CASSIS.

Vol. 7. p. 218.

| | | |
|---------------------------------|----|----|
| 2 cornuta (<i>Buccinum</i>) . | 22 | 14 |
| 3 tuberosa | 22 | 16 |
| 4 flammea | 22 | 17 |
| 5 fasciata | 22 | 27 |

Pl. Fig.

| | | |
|--------------------------|----|----|
| 6 glauca..... | 22 | 35 |
| 9 Areola..... | 22 | 20 |
| 10 Zebra | 22 | 21 |
| 11 decussata | 22 | 19 |
| 13 rufa | 22 | 15 |
| 15 Testiculus | 22 | 18 |
| 16 achatina | 22 | 22 |
| 19 sulcosa | 22 | 25 |
| 20 granulosa | 22 | 24 |
| 21 Saburon | 22 | 25 |
| 24 Vibex | 22 | 36 |
| 25 Erinaceus | 22 | 32 |
| <i>semigranosa</i> | 4 | 2 |
| <i>tenuis</i> | 4 | 4 |
| <i>coarctata</i> | 4 | 5 |

CASTALIA.

Vol. 6. p. 66.

| | | |
|----------------------------|---|---|
| <i>ambigua (Mya)</i> | 1 | 9 |
|----------------------------|---|---|

CERITHIUM.

Vol. 7. p. 63.

| | | |
|------------------------------------|----|-----|
| 2 palustre (<i>Strombus</i>) . . | 25 | 39 |
| 3 sulcatum (<i>Murex</i>) ... | 28 | 161 |
| 4 Telescopium (<i>Trochus</i>) | 30 | 120 |
| 5 ebeninum (<i>Murex</i>)... | 27 | 153 |
| 6 nodulosum | 27 | 147 |
| 7 vulgatum..... | 27 | 152 |
| 8 Obeliscus..... | 27 | 142 |
| 9 granulatum..... | 28 | 160 |
| 10 Aluco | 27 | 146 |

| | Pl. | Fig. |
|--------------------------------------|-----|------|
| 13 muricatum | 27 | 154 |
| 14 Radula | 28 | 156 |
| 16 decollatum | 28 | 169 |
| 18 semigranosum..... | 28 | 162 |
| 19 asperum | 28 | 159 |
| 21 Vertagus..... | 27 | 143 |
| 27 torulosum | 28 | 155 |
| 28 tuberculatum(<i>Strombus</i>) | 25 | 38 |
| 31 literatum (<i>Murex</i>)... | 28 | 163 |
| 32 atratum | 27 | 151 |
| <i>zonatum</i> (<i>Strombus</i>) . | 4 | 7 |
| <i>obtusum</i> | 4 | 8 |
| <i>petrosus</i> | 4 | 9 |
| <i>rugosus</i> | 4 | 10 |
| <i>exasperatum</i> (<i>Murex</i>) | 5 | 21 |
| <i>mitriforme</i> | 5 | 24 |

CHAMA.

Vol. 6. p. 92.

| | | |
|--------------------|---|----|
| 2 damicornis | 9 | 18 |
| 3 gryphoides | 9 | 19 |
| 5 unicornis..... | 9 | 20 |
| 7 lamellosa..... | 9 | 22 |
| 8 calcarata..... | 9 | 23 |
| 11 arcinella | 9 | 35 |
| 12 radians | 9 | 24 |

CHITON.

Vol. 6. p. 318.

The Specific names the same as
the Linnean.

CHITONELLUS.

Vol. 6. p. 316.

| | Pl. | Fig. |
|----------------------------------------|-----|------|
| 1 <i>laevis</i> (<i>Chiton</i>)..... | 1 | 39 |

CINERAS.

Vol. 5. p. 407.

| | | |
|------------------------------------------|---|----|
| 1 <i>vittatus</i> (<i>Lepas</i>) | 2 | 43 |
|------------------------------------------|---|----|

CLAUSILIA.

Vol. 6. pt. 2. p. 111.

| | | |
|-----------------------------------------|----|-----|
| 5 <i>corrugata</i> (<i>Turbo</i>) ... | 32 | 146 |
| 10 <i>papillaris</i> | 32 | 143 |
| <i>torticollis</i> | 6 | 35 |
| <i>costulata</i> | 6 | 36 |
| <i>truncatula</i> | 6 | 37 |
| <i>gracilis</i> | 6 | 38 |
| <i>Chrysalis</i> | 6 | 39 |
| <i>Mediterranea</i> | 6 | 40 |

COLUMBELLA.

Vol. 7. p. 292.

| | | |
|------------------------------------------|----|----|
| 2 <i>rustica</i> (<i>Voluta</i>) | 20 | 74 |
| 3 <i>mercatoria</i> | 20 | 73 |
| 14 <i>mendicaria</i> | 20 | 79 |
| <i>Strombiformis</i> (<i>Buccinum</i>) | 4 | 18 |
| <i>fulgurans</i> | 4 | 19 |
| <i>Terpsichore</i> | 4 | 21 |
| <i>Zebra</i> | 4 | 30 |

CONCHOLEPAS.

Vol. 7. p. 250.

| | Pl. | Fig. |
|---------------------------------|-----|------|
| 1 Peruviana (<i>Buccinum</i>) | 22 | 56 |

CONUS.

Vol. 7. p. 440.

The Specific names the same as
the Linnean, except

| | | |
|---------------------|----|-----|
| 5 araneosus | 14 | 3 |
| 10 regius..... | 14 | 25 |
| 21 obesus | 15 | 81 |
| 30 lividus | 15 | 91 |
| 80 cinereus..... | 15 | 56 |
| 96 fulgurans | 14 | 28 |
| 100 flammeus | 14 | 29 |
| 131 Aurora | 16 | 153 |
| 138 Omaicus | 14 | 32 |
| 145 Terebra..... | 16 | 127 |
| 155 Dux | 16 | 114 |
| 156 tendineus | 16 | 117 |
| 157 Præfectus | 16 | 118 |

CORBIS.

Vol. 5. p. 536.

| | | |
|----------------------------------|---|----|
| 1 fimbriata (<i>Venus</i>) ... | 8 | 65 |
|----------------------------------|---|----|

CORBULA.

Vol. 5. p. 494.

| | | |
|--------------------------------|---|----|
| 6 Nucleus (<i>Mya</i>) | 3 | 40 |
|--------------------------------|---|----|

CORONULA.

Vol. 5. p. 385.

| | Pl. | Fig. |
|--------------------------------|-----|------|
| 1 Diadema (<i>Lepas</i>) ... | 1 | 2 |
| 2 balænaris | 1 | 3 |
| 3 testudinaria..... | 1 | 4 |
| <i>pulchra</i> | 1 | 2 |

CRANIA.

Vol. 6. p. 237.

| | | |
|---------------------------------|----|---|
| 1 personata (<i>Anomia</i>) . | 11 | 1 |
|---------------------------------|----|---|

CRASSATELLA.

Vol. 5. p. 480.

| | | |
|-----------------------------------|---|----|
| 11 striata (<i>Mactra</i>)..... | 6 | 16 |
| 7 contraria (<i>Venus</i>) ... | 8 | 95 |

CRASSINA.

Vol. 5. p. 554.

| | | |
|---------------------------------|---|----|
| 1 Danmoniensis (<i>Venus</i>) | 7 | 21 |
|---------------------------------|---|----|

CRENATULA.

Vol. 6. p. 136.

| | | |
|-----------------------------------|----|----|
| 7 phasianoptera (<i>Ostrea</i>) | 11 | 82 |
|-----------------------------------|----|----|

CREPIDULA.

Vol. 6. pt. 2. p. 22.

| | | |
|------------------------------------|----|----|
| 1 fornicata (<i>Patella</i>) ... | 37 | 10 |
|------------------------------------|----|----|

| | | |
|--------------------|-----------------|----|
| | <i>Pl. Fig.</i> | |
| 2 Porcellana | 37 | 9 |
| 3 aculeata | 37 | 11 |
| 4 unguiformis..... | 37 | 13 |

CREUSIA.

Vol. 5. p. 399.

| | | |
|---------------------------------|---|----|
| 3 Verruca (<i>Lepas</i>)..... | 2 | 30 |
|---------------------------------|---|----|

CRISTELLARIA.

Vol. 7. p. 607.

| | | |
|--------------------------------|----|----|
| 1 Squamula (<i>Nautilus</i>) | 14 | 47 |
| 2 papillosa | 14 | 48 |
| 4 auricularis | 14 | 50 |
| 5 Faba | 14 | 51 |
| 6 Scapha | 14 | 52 |
| 7 Crepidula | 14 | 53 |
| 8 Auricula | 14 | 54 |
| 9 tuberosa | 14 | 55 |

CUCULLÆA.

Vol. 6. p. 35.

| | | |
|-----------------------------------|---|----|
| 1 auriculifera (<i>Arca</i>) .. | 9 | 16 |
|-----------------------------------|---|----|

CYCLAS.

Vol. 5. p. 557.

| | | |
|-------------------------------------|---|----|
| 1 rivicola (<i>Tellina</i>) | 5 | 90 |
| 3 lacustris | 5 | 91 |
| 4 obliqua | 3 | 19 |

CYCLOSTOMA.

Vol. 6. pt. 2. p. 142.

| | | |
|----------------------------------|----|---|
| 2 Valvulus (<i>Helix</i>)..... | 32 | 7 |
|----------------------------------|----|---|

| | | |
|---------------------------------|-----------------|-----|
| | <i>Pl. Fig.</i> | |
| 6 tricarinatum (<i>Turbo</i>) | 32 | 125 |
| 8 Labeo | 32 | 120 |
| 13 flavulum..... | 32 | 114 |
| 21 ligatum | 32 | 122 |
| 22 Lincinella | 32 | 119 |
| 26 elegans | 32 | 118 |
| <i>Petiverianum</i> | 6 | 2 |
| <i>Jamaicense</i> | 6 | 3 |
| <i>pulchrum</i> | 6 | 4 |
| <i>leve</i> | 6 | 5 |
| <i>Chemnitzii</i> | 6 | 6 |
| <i>Fascia</i> | 6 | 8 |
| <i>fulvum</i> | 6 | 9 |
| <i>elongatum</i> | 6 | 10 |
| <i>maculatum</i> | 6 | 11 |
| <i>Columna</i> | 6 | 21 |
| <i>mirabile</i> | 6 | 22 |
| <i>Aurantium</i> | 6 | 23 |
| <i>flavidum</i> | 6 | 31 |
| <i>tortum</i> | 6 | 32 |
| <i>compressum</i> | 6 | 42 |

CYPRÆA.

Vol. 7. p. 372.

The Specific names the same as the Linnean, except.

| | | |
|------------------------|----|----|
| 14 Aurora | 17 | 8 |
| 23 zonata..... | 17 | 34 |
| 28 rufa..... | 17 | 40 |
| 37 olivacea | 17 | 39 |
| 42 flaveola | 17 | 49 |
| 48 Stercus-Muscarum... | 17 | 41 |

CYPRICARDIA.

Vol. 6. p. 27.

| | Pl. | Fig. |
|---------------------------------|-----|------|
| 1 Guinaica (<i>Chama</i>) ... | 9 | 14 |
| 4 coralliophaga | 9 | 17 |
| <i>angulata</i> | 2 | 1 |
| <i>rostrata</i> | 2 | 2 |

CYPRINA.

Vol. 5. p. 556.

| | | |
|-----------------------------------|---|----|
| 2 Icelandica (<i>Venus</i>) ... | 7 | 41 |
|-----------------------------------|---|----|

CYRENA.

Vol. 5. p. 551.

| | | |
|---------------------------------|---|-----|
| 4 fuscata (<i>Venus</i>)..... | 8 | 115 |
| 5 fluminea | 8 | 114 |
| 11 Zeylanica | 7 | 42 |

CYTHEREA.

Vol. 5. p. 559.

| | | |
|----------------------------------|---|-----|
| 1 Iusoria (<i>Venus</i>) | 7 | 43 |
| 3 impudica | 7 | 47 |
| 8 morphina | 7 | 51 |
| 10 casta | 7 | 46 |
| 11 Corbicula | 7 | 33 |
| 12 tripla | 7 | 34 |
| 13 gigantea..... | 8 | 100 |
| 14 Erycina..... | 7 | 38 |
| 22 Chione | 7 | 44 |
| 23 maculata | 7 | 48 |
| 31 castrensis | 7 | 57 |

Pl. Fig.

| | | |
|------------------------|---|----|
| 36 juvenilis..... | 8 | 85 |
| 39 Dione | 7 | 1 |
| 48 exoleta | 8 | 83 |
| 50 concentrica | 8 | 84 |
| 53 tigerina | 8 | 75 |
| 54 punctata | 8 | 81 |
| 57 scripta | 8 | 97 |
| 63 pectinata | 8 | 90 |
| 64 gibbia..... | 8 | 91 |
| 66 divaricata | 8 | 94 |
| 72 flexuosa..... | 7 | 32 |
| <i>hians</i> | 2 | 11 |
| <i>subrugosa</i> | 2 | 5 |

DELPHINULA.

Vol. 6. pt. 2. p. 229.

| | | |
|----------------------------------|----|----|
| 1 laciniata (<i>Turbo</i>).... | 31 | 83 |
| 2 distorta | 31 | 85 |

DENTALIUM.

Vol. 5. p. 341.

| | | |
|----------------------|----|----|
| 1 elephantinum | 38 | 2 |
| 2 aprinum..... | 38 | 3 |
| 4 fasciatum | 38 | 10 |
| 10 Dentalis..... | 38 | 5 |
| 13 Entalis | 38 | 6 |
| 15 corneum | 38 | 7 |
| 17 politum | 38 | 8 |

DISCINA.

Vol. 6. p. 236.

| | | |
|-----------------------------------------|---|---|
| 1 <i>ostreoides</i> (<i>Anomia</i>).. | 2 | 2 |
|-----------------------------------------|---|---|

| | Pl. | Fig. |
|-----------------------------------|-----|------|
| <i>sylvatica</i> | 7 | 5 |
| <i>turgidula</i> | 7 | 6 |
| <i>Helicella</i> | 7 | 7 |
| <i>Zonula</i> | 7 | 8 |
| <i>formosa</i> ² | 7 | 10 |
| <i>tridentata</i> | 7 | 11 |
| <i>septemvolva</i> | 7 | 14 |
| <i>monodon</i> | 7 | 15 |
| <i>fraterna</i> | 7 | 16 |
| <i>coniformis</i> | 7 | 20 |
| <i>concamerata</i> | 7 | 21 |
| <i>nigrescens</i> | 7 | 32 |
| <i>Tripolitana</i> | 7 | 33 |
| <i>Sayii</i> | 7 | 34 |
| <i>globulosa</i> | 7 | 35 |
| <i>Caffra</i> | 7 | 36 |
| <i>conformis</i> | 7 | 37 |
| <i>Prunum</i> | 7 | 38 |
| <i>confusa</i> | 7 | 39 |
| <i>deformis</i> | 7 | 40 |
| <i>Nicæensis</i> | 7 | 41 |
| <i>Meridionalis</i> | 7 | 42 |
| <i>Melitensis</i> | 7 | 43 |
| <i>circumornata</i> | 7 | 44 |
| <i>granosa</i> | 7 | 45 |
| <i>discolor</i> | 7 | 46 |
| <i>Lima</i> | 7 | 47 |
| <i>dentiens</i> | 7 | 48 |
| <i>parilis</i> | 7 | 49 |
| <i>Imperator</i> | 7 | 50 |
| <i>Zodiaca</i> | 7 | 52 |
| <i>conclisa</i> | 7 | 53 |
| <i>Pellicuta</i> | 7 | 54 |
| <i>Strobilus</i> | 7 | 55 |
| <i>Alauda</i> | 7 | 56 |

| | Pl. | Fig. |
|----------------------------|-----|------|
| <i>Carina</i> | 7 | 57 |
| <i>Pileolus</i> | 7 | 58 |
| <i>bipartita</i> | 7 | 59 |
| <i>sinistrorsa</i> | 7 | 60 |
| <i>scabra</i> | 8 | 62 |
| <i>Fibula</i> | 8 | 66 |
| <i>subplicata</i> | 8 | 74 |
| <i>Porto Sanctana</i> | 8 | 79 |
| <i>punctulata</i> | 8 | 80 |
| <i>exalbida</i> | 8 | 81 |
| <i>Bulverii</i> | 8 | 82 |
| <i>tectiformis</i> | 8 | 83 |
| <i>Madeirensis</i> | 8 | 84 |
| <i>bicarinata</i> | 8 | 85 |

HIATELLA.

Vol. 6. p. 29.

| | | |
|--------------------------------|---|----|
| 1 <i>Arctica (Solen)</i> | 3 | 33 |
|--------------------------------|---|----|

HIPPOPUS.

Vol. 6. p. 107.

| | | |
|--------------------------------|---|---|
| 1 <i>maculatus (Chama)</i> ... | 9 | 3 |
|--------------------------------|---|---|

HYALÆA.

Vol. 6. p. 284.

| | | |
|---------------------------------|----|----|
| 1 <i>tridentata (Anomia)</i> .. | 11 | 28 |
|---------------------------------|----|----|

HYRIA.

Vol. 6. p. 81.

| | | |
|--------------------------------|---|----|
| 1 <i>avicularis (Mya)</i> | 2 | 36 |
| <i>corrugata</i> | 1 | 12 |

IANTHINA.

Vol. 6. pt. 2. p. 204.

| | Pl. Fig. |
|--------------------------------|----------|
| 1 communis (<i>Helix</i>) .. | 34 116 |

IRIDINA.

Vol. 6. p. 88.

| | |
|---------------------------------------|------|
| <i>ovata</i> (<i>Arca</i>) | 2 9 |
| <i>elongata</i> | 2 10 |
| <i>Nilotica</i> (<i>Mytilus</i>) .. | 2 1 |

ISOCARDIA.

Vol. 6. p. 30.

| | |
|------------------------------|-----|
| 1 Cor (<i>Chama</i>) | 9 1 |
| 3 Moltkiana | 9 5 |

LIMA.

Vol. 6. p. 155.

| | |
|----------------------------------|-------|
| 1 inflata (<i>Ostrea</i>)..... | 10 51 |
| 2 squamosa | 11 54 |
| 3 glacialis | 11 55 |
| 5 fragilis | 11 52 |
| 6 linguatula | 11 53 |
| <i>subauriculata</i> | 2 5 |

LINGULA.

Vol. 6. p. 257.

| | |
|----------------------------------|-------|
| 1 anatina (<i>Mytilus</i>).... | 12 45 |
|----------------------------------|-------|

LUCINA.

Vol. 5. p. 538.

| | |
|----------------------------------|------|
| 1 Jamaicensis (<i>Venus</i>).. | 8 79 |
|----------------------------------|------|

Pl. Fig.

| | |
|---------------------------------|------|
| 2 Pennsylvanica..... | 8 78 |
| 3 edentula..... | 8 98 |
| 5 Radula (<i>Tellina</i>).... | 4 71 |
| 7 divaricata | 4 87 |
| 8 carnaria | 4 79 |
| 9 scabra..... | 4 72 |
| 10 reticulata | 4 70 |
| 12 lactea | 4 76 |
| 13 undata (<i>Venus</i>)..... | 8 87 |

LUTRARIA.

Vol. 5. p. 467.

| | |
|----------------------------------|------|
| 1 solenoides (<i>Mactra</i>) . | 6 37 |
| 2 elliptica..... | 6 36 |
| 3 rugosa..... | 6 33 |
| 4 compressa..... | 6 25 |
| 8 papyracea | 6 3 |
| 11 complanata | 6 35 |

LYMNÆA.

Vol. 6. pt. 2. p. 157.

| | |
|--------------------------------|--------|
| 1 columnaris* (<i>Helix</i>) | 35 151 |
| 2 stagnalis..... | 35 166 |
| 3 palustris..... | 35 167 |
| 7 auricularia..... | 35 180 |
| 8 ovata | 35 181 |
| 12 minuta | 35 173 |

MACTRA.

Vol. 5. p. 471.

| | |
|-------------------|------|
| 1 gigantea..... | 6 22 |
| 2 Spengleri | 6 1 |

* Lamarck has since removed the *Lymnæa columnaris* to the genus *Achatina*.

| | Pl. | Fig. |
|--------------------------|-----|------|
| 9 Tectum | 29 | 70 |
| 10 Labio | 29 | 80 |
| 14 fragaroides..... | 29 | 84 |
| <i>rugosa</i> | 5 | 7 |
| <i>Listeri</i> | 5 | 8 |
| <i>Zebra</i> | 5 | 18 |
| <i>reticularis</i> | 5 | 21 |
| <i>Trochlea</i> | 5 | 24 |
| <i>atrata</i> | 5 | 25 |
| <i>obscura</i> | 5 | 26 |
| <i>concamerata</i> | 6 | 35 |
| <i>viridis</i> | 6 | 36 |
| <i>Odontis</i> | 6 | 37 |
| <i>pulcherrima</i> | 6 | 45 |
| <i>badia</i> | 6 | 46 |

MUREX.

Vol. 7. p. 155.

The Specific names the same as
the Linnean, except

| | | |
|-------------------------|----|----|
| 3 crassispinus | 25 | 4 |
| 11 inflatus | 25 | 12 |
| 25 asperrimus..... | 25 | 9 |
| 35 Endivia | 25 | 18 |
| 53 miliaris | 25 | 10 |
| <i>costularis</i> | 5 | 1 |
| <i>cristatus</i> | 5 | 4 |
| <i>regius</i> | 5 | 13 |
| <i>Ferrugo</i> | 5 | 16 |
| <i>Funiculus</i> | 5 | 17 |
| <i>labiosus</i> | 5 | 18 |
| <i>aculeatus</i> | 5 | 19 |

| | Pl. | Fig. |
|-----------------------|-----|------|
| <i>pinnatus</i> | 5 | 20 |
| <i>pictus</i> | 5 | 23 |

MYA.

Vol. 5. p. 459.

| | | |
|------------------|---|---|
| 1 truncata | 2 | 1 |
| 2 arenaria | 2 | 2 |

MYTILUS.

Vol. 6. p. 117.

| | | |
|------------------------|----|----|
| 1 Magellanicus | 12 | 28 |
| 4 striatulus | 12 | 19 |
| 6 exustus | 9 | 15 |
| 7 bilocularis | 12 | 17 |
| 12 elongatus | 12 | 25 |
| 16 unguatus | 12 | 23 |
| 19 smaragdinus | 12 | 26 |
| 22 achatinus | 12 | 24 |
| 29 edulis | 12 | 21 |
| 33 incurvatus | 12 | 48 |
| 34 lineatus | 12 | 27 |
| <i>dilatatus</i> | 2 | 2 |
| <i>Volgensis</i> | 2 | 6 |

NATICA.

Vol. 6. pt. 2. p. 195.

| | | |
|----------------------------------|----|----|
| 1 glaucina (<i>Nerita</i>).... | 35 | 5 |
| 2 Albumen | 35 | 17 |
| 4 Mamilla..... | 35 | 19 |
| 5 melanostoma (<i>Helix</i>).. | 34 | 98 |
| 10 Canrena (<i>Nerita</i>) .. | 35 | 1 |

| | Pl. | Fig. |
|------------------------|-----|------|
| 11 cruentata | 35 | 12 |
| 12 millepunctata | 36 | 69 |
| 13 Vitellus | 35 | 6 |
| 18 rufa | 35 | 18 |
| 21 fulminea..... | 35 | 10 |
| 23 vittata | 35 | 16 |
| 25 Marochiensis | 35 | 14 |
| 26 arachnoidea | 35 | 15 |
| 31 cancellata | 35 | 3 |
| <i>duplicata</i> | 8 | 1 |
| <i>patula</i> | 8 | 2 |
| <i>plumbea</i> | 8 | 3 |
| <i>intricata</i> | 8 | 7 |
| <i>glabra</i> | 8 | 14 |

NAUTILUS.

Vol. 7. p. 630.

| | | |
|---------------------|----|---|
| 1 Pompilius | 13 | 1 |
| 2 umbilicatus | 13 | 2 |

NAVICELLA.

Vol. 6. pt. 2. p. 181.

| | | |
|-----------------------------------|----|---|
| 1 Porcellana (<i>Patella</i>) . | 37 | 9 |
|-----------------------------------|----|---|

NERITA.

Vol. 6. pt. 2. p. 188.

The Specific names the same as
the Linnean.

| | | |
|------------------------|---|----|
| <i>ornata</i> | 8 | 4 |
| <i>Australis</i> | 8 | 5 |
| <i>rudis</i> | 8 | 13 |

NERITINA.

Vol. 6. pt. 2. p. 182.

| | Pl. | Fig. |
|-----------------------------------|-----|------|
| 2 pulligera (<i>Nerita</i>).... | 35 | 31 |
| 3 dubia | 35 | 29 |
| 4 Zebra..... | 35 | 18 |
| 8 Corona | 35 | 22 |
| 11 auriculata | 36 | 70 |
| 16 strigilata | 36 | 38 |
| 18 virginea..... | 36 | 37 |
| 19 fluviatilis | 35 | 26 |
| 20 viridis..... | 36 | 36 |
| <i>crepidularia</i> | 8 | 6 |
| <i>Oweniana</i> | 8 | 8 |
| <i>cariosa</i> | 8 | 9 |
| <i>Caffra</i> | 8 | 10 |
| <i>Smithii</i> | 8 | 11 |
| <i>spinosa</i> | 8 | 12 |
| <i>semiconica</i> | 8 | 15 |
| <i>Owenii</i> | 8 | 17 |
| <i>pulchella</i> | 8 | 18 |

NODOSARIA.

Vol. 7. p. 595.

| | | |
|----------------------------------|----|----|
| 1 Radicula (<i>Nautilus</i>).. | 13 | 27 |
| 3 Siphunculus | 13 | 33 |

NUCULA.

Vol. 6. p. 57.

| | | |
|---------------------------------|----|----|
| 2 rostrata (<i>Arca</i>)..... | 10 | 43 |
| 3 pella | 9 | 27 |
| 4 Nicobarica | 9 | 26 |
| 6 margaritacea..... | 10 | 42 |
| <i>Tellinoides</i> | 2 | 5 |
| <i>glacialis</i> | 2 | 6 |

| | Pl. | Fig. |
|--------------------------|-----|------|
| 9 Tectum | 29 | 70 |
| 10 Labio | 29 | 80 |
| 14 fragaroides..... | 29 | 84 |
| <i>rugosa</i> | 5 | 7 |
| <i>Listeri</i> | 5 | 8 |
| <i>Zebra</i> | 5 | 18 |
| <i>reticularis</i> | 5 | 21 |
| <i>Trochlea</i> | 5 | 24 |
| <i>atrata</i> | 5 | 25 |
| <i>obscura</i> | 5 | 26 |
| <i>concamerata</i> | 6 | 35 |
| <i>viridis</i> | 6 | 36 |
| <i>Odontis</i> | 6 | 37 |
| <i>pulcherrima</i> | 6 | 45 |
| <i>badia</i> | 6 | 46 |

MUREX.

Vol. 7. p. 155.

The Specific names the same as
the Linnean, except

| | | |
|-------------------------|----|----|
| 3 crassispinus | 25 | 4 |
| 11 inflatus | 25 | 12 |
| 23 asperrimus..... | 25 | 9 |
| 35 Endivia | 25 | 18 |
| 53 miliaris | 25 | 10 |
| <i>costularis</i> | 5 | 1 |
| <i>cristatus</i> | 5 | 4 |
| <i>regius</i> | 5 | 13 |
| <i>Ferrugo</i> | 5 | 16 |
| <i>Funiculus</i> | 5 | 17 |
| <i>labiosus</i> | 5 | 18 |
| <i>aculeatus</i> | 5 | 19 |

| | |
|-----------------------|--|
| <i>pinnatus</i> | |
| <i>pictus</i> | |

MYA.

Vol. 5. p. 459.

| | |
|-----------------|--|
| 1 truncata..... | |
| 2 arenaria..... | |

MYTILUS.

Vol. 6. p. 117.

| | |
|------------------------|--|
| 1 Magellanicus | |
| 4 striatulus | |
| 6 exustus | |
| 7 bilocularis | |
| 12 elongatus | |
| 16 unguatus | |
| 19 smaragdinus | |
| 22 achatinus | |
| 29 edulis | |
| 33 incurvatus..... | |
| 34 lineatus | |
| <i>dilatatus</i> | |
| <i>Volgensis</i> | |

NATICA.

Vol. 6. pt. 2. p. 195.

| | |
|------------------------------------|--|
| 1 glaucina (<i>Nerita</i>).... | |
| 2 Albumen | |
| 4 Mamilla..... | |
| 5 melanostoma (<i>Heli</i>) | |
| 10 Canrena (<i>Nerita</i>) | |

| | Pl. | Fig. |
|------------------------|-----|------|
| 11 cruentata | 35 | 12 |
| 12 millepunctata | 36 | 69 |
| 13 Vitellus | 35 | 6 |
| 18 rufa | 35 | 18 |
| 21 fulminea..... | 35 | 10 |
| 23 vittata | 35 | 16 |
| 25 Marochiensis | 35 | 14 |
| 26 arachnoidea | 35 | 15 |
| 31 cancellata | 35 | 9 |
| <i>duplicata</i> | 8 | 1 |
| <i>patula</i> | 8 | 2 |
| <i>plumbea</i> | 8 | 3 |
| <i>intricata</i> | 8 | 7 |
| <i>glabra</i> | 8 | 14 |

NAUTILUS.

Vol. 7. p. 630.

| | | |
|---------------------|----|---|
| 1 Pompilius | 13 | 1 |
| 2 umbilicatus | 13 | 2 |

NAVICELLA.

Vol. 6. pt. 2. p. 181.

| | | |
|-----------------------------------|----|---|
| 1 Porcellana (<i>Patella</i>) . | 37 | 9 |
|-----------------------------------|----|---|

NERITA.

Vol. 6. pt. 2. p. 188.

The Specific names the same as
the Linnean.

| | | |
|------------------------|---|----|
| <i>ornata</i> | 8 | 4 |
| <i>Australis</i> | 8 | 5 |
| <i>rudis</i> | 8 | 13 |

NERITINA.

Vol. 6. pt. 2. p. 182.

| | Pl. | Fig. |
|-----------------------------------|-----|------|
| 2 pulligera (<i>Nerita</i>).... | 35 | 31 |
| 3 dubia | 35 | 29 |
| 4 Zebra..... | 35 | 18 |
| 8 Corona | 35 | 22 |
| 11 auriculata | 36 | 70 |
| 16 strigilata | 36 | 38 |
| 18 virginea | 36 | 37 |
| 19 fluviatilis | 35 | 26 |
| 20 viridis..... | 36 | 36 |
| <i>crepidularia</i> | 8 | 6 |
| <i>Oweniana</i> | 8 | 8 |
| <i>cariosa</i> | 8 | 9 |
| <i>Caffra</i> | 8 | 10 |
| <i>Smithii</i> | 8 | 11 |
| <i>spinosa</i> | 8 | 12 |
| <i>semiconica</i> | 8 | 15 |
| <i>Owenii</i> | 8 | 17 |
| <i>pulchella</i> | 8 | 18 |

NODOSARIA.

Vol. 7. p. 595.

| | | |
|----------------------------------|----|----|
| 1 Radicula (<i>Nautilus</i>).. | 13 | 27 |
| 3 Siphunculus | 13 | 33 |

NUCULA.

Vol. 6. p. 57.

| | | |
|---------------------------------|----|----|
| 2 rostrata (<i>Arca</i>)..... | 10 | 43 |
| 3 pella | 9 | 27 |
| 4 Nicobarica | 9 | 26 |
| 6 margaritacea..... | 10 | 42 |
| <i>Tellinoides</i> | 2 | 5 |
| <i>glacialis</i> | 2 | 6 |

OLIVA.

Vol. 7. p. 416.

| | Pl. | Fig. |
|----------------------------------|-----|------|
| 1 porphyria (<i>Voluta</i>) .. | 19 | 29 |
| 3 erythrostoma | 19 | 30 |
| 15 leucophæa..... | 19 | 33 |
| 39 carneola..... | 19 | 43 |
| 40 ispidula | 19 | 38 |
| 46 Utriculus | 19 | 37 |
| 52 hiatula | 19 | 39 |
| 57 conoidalis | 19 | 41 |
| 59 eburnea | 19 | 40 |
| 62 Oryza | 19 | 46 |
| <i>Nux</i> | 4 | 33 |
| <i>columellaris</i> | 4 | 34 |
| <i>Peruviana</i> | 4 | 35 |
| <i>cærulea</i> | 4 | 36 |

ORBICULA.

Vol. 6. p. 242.

| | | |
|---------------------------------|----|---|
| 1 Norwegica (<i>Anomia</i>) . | 11 | 2 |
|---------------------------------|----|---|

ORBICULINA.

Vol. 7. p. 609.

| | | |
|----------------------------------|----|----|
| 1 numismalis (<i>Nautilus</i>) | 14 | 56 |
| 2 angulata | 14 | 57 |
| 3 uncinata | 14 | 58 |

ORTHOCERA.

Vol. 7. p. 593.

| | | |
|----------------------------------|----|----|
| 1 Raphanus (<i>Nautilus</i>) . | 13 | 24 |
|----------------------------------|----|----|

Pl. Fig.

| | | |
|---------------------|----|----|
| 2 Fascia | 13 | 31 |
| 3 Raphanistrum..... | 13 | 23 |
| 4 obliqua | 13 | 22 |
| 6 Legumen | 13 | 34 |

OSTREA.

Vol. 6. p. 200.

The same names and Genus as the
Linnean, except the following

| | | |
|------------------------------------|----|---|
| 36 rubella (<i>Mytilus</i>) | 12 | 3 |
| 45 Crista-Galli | 12 | 1 |
| 47 Hyotis | 12 | 2 |

OTION.

Vol. 5. p. 408.

| | | |
|---------------------------------|---|----|
| 1 Cuvieri (<i>Lepas</i>) | 2 | 45 |
|---------------------------------|---|----|

OVULA.

Vol. 7. p. 365.

| | | |
|----------------------------------|----|----|
| 1 oviformis (<i>Bulla</i>).... | 18 | 1 |
| 3 verrucosa | 18 | 10 |
| 5 carnea | 18 | 4 |
| 8 gibbosa | 18 | 11 |
| 10 Spelta..... | 18 | 9 |
| 11 birostris | 18 | 6 |
| 12 Volva..... | 18 | 3 |

PALUDINA.

Vol. 6. pt. 2. p. 172.

| | Pl. Fig. |
|----------------------------------|----------|
| 1 vivipara (<i>Helix</i>) | 34 119 |
| 2 achatina..... | 34 120 |
| 5 impura | 35 176 |
| <i>Australis</i> (Turbo).... | 6 7 |
| <i>fuscus</i> | 6 15 |
| <i>bulimoides</i> | 6 27 |
| <i>Francenii</i> | 6 28 |
| <i>subcarinata</i> | 7 13 |
| <i>decisa</i> | 7 17 |
| <i>dissimilis</i> | 7 18 |

PANDORA.

Vol. 5. p. 498.

| | |
|-----------------------------------|------|
| 1 rostrata (<i>Tellina</i>).... | 4 97 |
| 2 obtusa (<i>Solen</i>) | 3 35 |

PANOPEA.

Vol. 5. p. 456.

| | |
|---------------------------------|------|
| 1 Aldrovandi (<i>Mya</i>).... | 3 41 |
|---------------------------------|------|

PARMOPHORUS.

Vol. 6. pt. 2. p. 2.

| | |
|----------------------------------|-------|
| 1 ambigua (<i>Patella</i>).... | 38 84 |
|----------------------------------|-------|

PATELLA.

Vol. 6. p. 321.

The Specific names the same as
the Linnean.

| | |
|-----------------------|-----|
| <i>Laqueare</i> | 8 6 |
|-----------------------|-----|

PECTEN.

Vol. 6. p. 161.

The same names as the Linnean
Genus *Ostrea*, except the fol-
lowing supplementary:

| | Pl. Fig. |
|--------------------------------------|----------|
| <i>asperimus</i> (<i>Ostrea</i>).. | 2 1 |
| <i>muscosus</i> | 2 2 |
| <i>ornatus</i> | 2 4 |

PECTUNCULUS.

Vol. 6. p. 47.

| | |
|----------------------------------|-------|
| 1 Glycimeris (<i>Arca</i>).... | 10 36 |
| 2 pilosus | 10 37 |
| 3 undulatus | 10 35 |
| 5 scriptus | 10 39 |
| 6 pennaceus | 9 31 |
| 8 angulatus | 10 34 |
| 9 stellatus..... | 10 38 |
| 10 pallens | 9 33 |
| 14 nummarius | 10 40 |
| 15 castaneus | 9 32 |
| 16 pectiniformis..... | 9 29 |
| 17 pectinatus | 9 30 |

PEDUM.

Vol. 6. p. 153.

| | |
|-------------------------------------|----|
| 1 spondyloideum (<i>Ostrea</i>)11 | 75 |
|-------------------------------------|----|

PERNA.

Vol. 6. p. 138.

| | |
|---------------------------------|-------|
| 1 Ephippium (<i>Ostrea</i>) . | 11 80 |
|---------------------------------|-------|

Pl. Fig.

| | | |
|------------------|----|----|
| 2 obliqua | 11 | 81 |
| 3 Isogonum | 11 | 79 |
| 8 sulcata | 11 | 77 |

PETRICOLA.

Vol. 5. p. 502.

| | | |
|-----------------------------------|---|----|
| 13 linguatula (<i>Venus</i>) .. | 8 | 72 |
| ochroleuca (<i>Tellina</i>).. | 1 | 6 |

PHASIANELLA.

Vol. 7. p. 51.

| | | |
|----------------------------------|----|----|
| 1 bulimoides (<i>Buccinum</i>) | 23 | 96 |
| lineolatus (<i>Turbo</i>).... | 6 | 26 |
| <i>Perdix</i> | 6 | 46 |

PHOLAS.

Vol. 5. p. 442.

| | | |
|---------------------|---|---|
| 1 Dactylus..... | 2 | 1 |
| 2 orientalis | 2 | 2 |
| 3 candida | 2 | 3 |
| 4 dactyloides | 2 | 6 |
| 6 costata | 2 | 4 |
| 7 crispata | 2 | 5 |
| 9 clavata | 2 | 7 |
| papyracea..... | 1 | 1 |
| ovum | 1 | 4 |
| tuberculata..... | 1 | 2 |
| lanceolata | 1 | 3 |

PHYSA.

Vol. 6. pt. 2. p. 155.

Pl. Fig.

| | | |
|-----------------------------------|----|----|
| 2 fontinalis (<i>Bulla</i>).... | 18 | 37 |
| 3 Hypnorum..... | 18 | 39 |

PILEOPSIS.

Vol. 6. pt. 2. p. 16.

| | | |
|----------------------------------|----|----|
| 1 ungarica (<i>Patella</i>) .. | 37 | 41 |
| 2 mitrula | 37 | 43 |

PINNA.

Vol. 6. p. 129.

| | | |
|-------------------|----|----|
| 1 rudis | 12 | 1 |
| 2 Flabellum | 12 | 6 |
| 3 seminuda | 12 | 7 |
| 5 nobilis | 12 | 8 |
| 6 squamosa | 12 | 12 |
| 7 marginata | 12 | 20 |
| 8 muricata | 12 | 9 |
| 9 pectinata | 12 | 4 |
| 10 saccata | 12 | 18 |
| 13 ingens..... | 12 | 3 |
| 14 Vexillum | 12 | 11 |
| 15 nigrina | 12 | 2 |

PIRENA.

Vol. 6. pt. 2. p. 169.

| | | |
|----------------------------------|----|----|
| 1 terebralis (<i>Strombus</i>) | 25 | 40 |
| 3 aurita..... | 25 | 41 |

PLACENTULA.

Vol. 7. p. 620.

| | Pl. | Fig. |
|-----------------------------------|-----|------|
| 1 pulvinata (<i>Nautilus</i>) . | 13 | 38 |
| 2 asterisans | 13 | 39 |

PLACUNA.

Vol. 6. p. 223.

| | | |
|--------------------------------|----|----|
| 1 Sella (<i>Anomia</i>)..... | 12 | 30 |
| 3 Placenta | 12 | 29 |

PLANAXIS.

Vol. 7. p. 50.

| | | |
|-----------------------------------|----|----|
| 2 undulata (<i>Buccinum</i>). . | 23 | 64 |
| <i>Planaxis</i> | 4 | 15 |
| <i>laevigatum</i> | 4 | 29 |

PLANORBIS.

Vol. 6. pt. 2. p. 150.

| | | |
|---------------------------------------|----|-----|
| 1 Cornu-Arietis (<i>Helix</i>) | 33 | 55 |
| 2 corneus | 33 | 48 |
| 3 carinatus | 33 | 23 |
| 6 spirorbis..... | 33 | 50 |
| 7 Vortex | 33 | 40 |
| 9 contortus | 33 | 52 |
| 10 hispidus | 33 | 53 |
| 11 nitidus (<i>Nautilus</i>) .. | 13 | 3 |
| 12 imbricatus (<i>Turbo</i>).. | 32 | 162 |
| <i>angulatus</i> (<i>Helix</i>).... | 7 | 12 |

PLEUROTOMA.

Vol. 7. p. 90.

| | Pl. | Fig. |
|------------------------------------|-----|------|
| 2 auriculifera (<i>Strombus</i>) | 25 | 42 |
| 11 spirata (<i>Murex</i>) | 27 | 120 |
| 14 buccinoides (<i>Buccinum</i>) | 24 | 151 |
| 16 Virgo (<i>Murex</i>) | 26 | 63 |
| 17 Babylonia | 26 | 67 |
| 23 nodifera | 26 | 68 |
| <i>Mitra</i> | 5 | 5 |
| <i>echinata</i> | 5 | 6 |
| <i>bicarinata</i> | 5 | 7 |
| <i>elegans</i> | 5 | 8 |
| <i>Pleurotoma</i> | 5 | 9 |
| <i>curvirostris</i> | 5 | 25 |

PLICATULA.

Vol. 6. p. 184.

| | | |
|---------------------------------|---|---|
| 1 ramosa (<i>Spondylus</i>).. | 9 | 3 |
|---------------------------------|---|---|

POLLICIPES.

Vol. 5. p. 405.

| | | |
|---------------------------------|---|----|
| 1 Cornucopia (<i>Lepas</i>).. | 2 | 34 |
| 2 Mitella | 2 | 33 |
| 3 Scalpellum | 2 | 35 |
| <i>Peronii</i> | 1 | 3 |
| <i>Homii</i> | 1 | 6 |

POLYSTOMELLA.

Vol. 7. p. 624.

| | | |
|-----------------------------------|----|---|
| 1 crispa (<i>Nautilus</i>)..... | 13 | 8 |
|-----------------------------------|----|---|

| | Pl. Fig. |
|------------------|----------|
| 2 costata..... | 13 25 |
| 3 planulata..... | 14 45 |
| 4 ambigua | 13 44 |

PSAMMØBIA.

Vol. 5. p. 511.

| | |
|----------------------------------|------|
| 2 Feroensis (<i>Tellina</i>).. | 4 36 |
| 3 vespertina (<i>Solen</i>) .. | 3 27 |

PSAMMOTÆA.

Vol. 5. p. 516.

| | |
|----------------------------------|------|
| 6 candida (<i>Tellina</i>).... | 4 39 |
|----------------------------------|------|

PTEROCERA.

Vol. 7. p. 194.

| | |
|----------------------------------|------|
| 1 truncata (<i>Strombus</i>) . | 24 8 |
| 2 Lambis | 24 7 |
| 3 Millepeda | 24 9 |
| 5 Scorpio | 24 6 |
| 7 Chiragra | 24 5 |

PUPA.

Vol. 6. pt. 2. p. 103.

| | |
|--------------------------------|--------|
| 1 Mumia (<i>Turbo</i>) | 32 111 |
| 2 Uva..... | 31 101 |
| 3 sulcata..... | 32 115 |
| 16 tridens..... | 32 151 |
| 17 quadridens | 32 154 |

| | Pl. Fig. |
|--------------------------|----------|
| 24 fragilis | 32 149 |
| 27 Muscorum | 32 153 |
| <i>Anglicus</i> | 6 12 |
| <i>rufescens</i> | 6 13 |
| <i>edentulus</i> | 6 14 |
| <i>odontostoma</i> | 7 25 |
| <i>Petiveriana</i> | 8 70 |
| <i>dentata</i> | 8 71 |

PURPURA.

Vol. 7. p. 233.

| | |
|----------------------------------------|--------|
| 1 Persica (<i>Buccinum</i>) . | 22 52 |
| 3 patula | 22 53 |
| 6 Consul (<i>Murex</i>)..... | 26 61 |
| 7 armigera (<i>Buccinum</i>). . | 22 58 |
| 9 Hippocastanum(<i>Murex</i>) | 26 53 |
| 11 Hæmastoma (<i>Bucc.</i>) | 22 57 |
| 12 Mancinella (<i>Murex</i>) . | 26 52 |
| 15 neritoides..... | 26 49 |
| 21 Sacellum..... | 25 20 |
| 25 Sertum (<i>Buccinum</i>).. | 22 41 |
| 29 cruentata | 23 103 |
| 30 Lapillus | 23 62 |
| 33 Cataracta | 23 83 |
| 35 plicata (<i>Murex</i>) | 26 56 |
| 36 Fiscella | 27 102 |
| 41 Hystrix | 26 50 |
| 45 Trochlea (<i>Buccinum</i>). . | 23 76 |
| 48 Vexillum (<i>Strombus</i>). . | 25 36 |
| <i>Rudolphi</i> (<i>Buccinum</i>). . | 4 6 |
| <i>distorta</i> | 4 7 |
| <i>Bulbus</i> | 4 8 |
| <i>subrostrata</i> | 4 9 |

| | <i>Pl. Fig.</i> |
|---------------------------------------|-----------------|
| <i>Tectum</i> | 4 18 |
| <i>cariosa</i> (<i>Murex</i>) | 5 22 |

PYRAMIDELLA.

Vol. 6. pt. 2. p. 221.

| | |
|----------------------------------|--------|
| 2 dolabrata (<i>Trochus</i>) . | 30 122 |
|----------------------------------|--------|

PYRGOMA.

Vol. 5. p. 400.

| | |
|----------------------------------|-----|
| 1 cancellatum (<i>Lepas</i>) . | 1 4 |
|----------------------------------|-----|

PYRULA.

Vol. 7. p. 137.

| | |
|-------------------------------------|--------|
| 1 canaliculata (<i>Murex</i>) | 26 82 |
| 2 Carica | 26 83 |
| 3 perversa | 26 88 |
| 5 Tuba | 26 80 |
| 7 Vespertilio | 27 114 |
| 8 Melongena | 26 59 |
| 10 Ficus (<i>Bulla</i>) | 18 29 |
| 13 Spirillus (<i>Murex</i>) ... | 28 81 |
| 14 elongata (<i>Buccinum</i>) . | 23 68 |
| 15 Ternatana (<i>Murex</i>) . | 27 116 |
| 16 Bezoar (<i>Buccinum</i>) . | 23 104 |
| 17 Rapa | 23 105 |
| 18 papyracea (<i>Bulla</i>) ... | 18 31 |
| 22 nodosa (<i>Murex</i>)..... | 26 85 |
| 23 citrina (<i>Buccinum</i>) ... | 23 69 |
| <i>Salmo</i> (<i>Murex</i>) | 5 14 |

RANELLA.

Vol. 7. p. 147.

| | <i>Pl. Fig.</i> |
|---------------------------------|-----------------|
| 1 gigantea (<i>Murex</i>) ... | 26 44 |
| 3 candisata..... | 26 36 |
| 4 Argus | 25 27 |
| 5 Crumena..... | 25 21 |
| 6 spinosa..... | 25 22 |
| 7 bufonia | 25 26 |
| 11 bitubercularis | 25 25 |
| 12 ranina | 25 24 |
| <i>Papilla</i> | 5 2 |

RICINULA.

Vol. 7. p. 230.

| | |
|---------------------------------|-------|
| 1 horrida (<i>Murex</i>)..... | 26 47 |
|---------------------------------|-------|

ROSTELLARIA.

Vol. 7. p. 191.

| | |
|------------------------------------|------|
| 1 curvirostris (<i>Strombus</i>) | 24 1 |
| 2 rectirostris | 24 2 |
| 3 Pes-Pelecani | 24 4 |
| <i>cancellata</i> | 4 6 |

ROTELLA.

Vol. 7. p. 6.

| | |
|-----------------------------------|-------|
| 1 lineolata (<i>Trochus</i>)... | 29 78 |
| <i>formosa</i> | 5 29 |
| <i>æqualis</i> | 5 30 |

SANGUINOLARIA.

Vol. 5. p. 509.

| | Pl. | Fig. |
|------------------------------------------|-----|------|
| 1 <i>occidens</i> (<i>Solen</i>) | 3 | 29 |
| 2 <i>rosea</i> | 3 | 28 |
| 4 <i>rugosa</i> (<i>Venus</i>) | 8 | 64 |
| <i>livida</i> (<i>Solen</i>) | 1 | 3 |

SAXICAVA.

Vol. 5. p. 501.

| | | |
|-----------------------------------------|----|---|
| 1 <i>rugosa</i> (<i>Mytilus</i>)..... | 12 | 9 |
|-----------------------------------------|----|---|

SCALARIA.

Vol. 6. pt. 2. p. 225.

| | | |
|-----------------------------------------|----|----|
| 1 <i>pretiosa</i> (<i>Turbo</i>)..... | 31 | 88 |
| 5 <i>communis</i> | 31 | 90 |
| <i>ravicostata</i> | 6 | 16 |
| <i>lamellosa</i> | 6 | 17 |
| <i>Australis</i> | 6 | 18 |
| <i>varicosa</i> | 6 | 19 |
| <i>Martini</i> | 6 | 20 |

SEPTARIA.

Vol. 5. p. 436.

| | | |
|-----------------------------------------|----|---|
| 1 <i>arenaria</i> (<i>Teredo</i>) ... | 38 | 1 |
|-----------------------------------------|----|---|

SERPULA.

Vol. 5. p. 360.

| | | |
|--------------------------------|----|----|
| 1 <i>vermicularis</i> | 38 | 31 |
| 4 <i>contortuplicata</i> | 38 | 17 |

Pl. Fig.

| | | |
|--------------------------|----|----|
| 6 <i>glomerata</i> | 38 | 20 |
| 7 <i>decussata</i> | 38 | 30 |
| 8 <i>protensa</i> | 38 | 37 |
| 11 <i>Cereolus</i> | 38 | 5 |
| 21 <i>echinata</i> | 38 | 27 |
| 26 <i>arenaria</i> | 38 | 23 |
| <i>filograna</i> | 8 | 1 |
| <i>fuscata</i> | 8 | 3 |
| <i>rosea</i> | 8 | 4 |

SIDEROLITES.

Vol. 7. p. 623.

| | |
|-----------------------------------------------|----|
| 1 <i>calcitrapoides</i> (<i>Nautilus</i>)14 | 46 |
|-----------------------------------------------|----|

SIGARETUS.

Vol. 6. pt. 2. p. 207.

| | | |
|------------------------------------------|----|-----|
| 1 <i>haliotoideus</i> (<i>Helix</i>) . | 35 | 187 |
|------------------------------------------|----|-----|

SILIQUEARIA.

Vol. 5. p. 337.

| | | |
|-----------------------------------------|----|----|
| 1 <i>anguina</i> (<i>Serpula</i>) ... | 38 | 26 |
| 2 <i>muricata</i> | 38 | 27 |

SOLARIUM.

Vol. 7. p. 2.

| | | |
|------------------------------------------|----|----|
| 1 <i>perspectivum</i> (<i>Trochus</i>) | 29 | 62 |
| 4 <i>stramineum</i> | 29 | 63 |

| | <i>Pl.</i> | <i>Fig.</i> |
|--------------------|------------|-------------|
| 5 hybridum | 29 | 61 |
| 6 variegatum | 29 | 59 |

SOLEMYA.
Vol. 5. p. 488.

| | | |
|---------------------------------|---|---|
| 2 Mediterranea (<i>Solen</i>) | 1 | 1 |
|---------------------------------|---|---|

SOLEN.
Vol. 5. p. 449.

| | | |
|--------------------------|---|----|
| 1 Vagina..... | 3 | 3 |
| 4 Siliqua..... | 3 | 1 |
| 5 Ensis | 3 | 6 |
| 6 pygmaeus | 3 | 7 |
| 8 Cultellus | 3 | 9 |
| 9 planus | 3 | 16 |
| 10 minutus | 3 | 33 |
| 11 Legumen..... | 3 | 8 |
| 15 antiquatus | 3 | 10 |
| 18 strigilatus..... | 3 | 12 |
| 19 radiatus | 3 | 14 |
| 21 rostratus | 3 | 22 |
| <i>corneus</i> | 1 | 2 |
| <i>orbiculatus</i> | 1 | 4 |

SPIRORBIS.
Vol. 5. p. 358.

| | | |
|-----------------------------------|----|----|
| 1 nautiloides (<i>Serpula</i>). | 38 | 8 |
| 2 Spirillum..... | 38 | 6 |
| 3 carinatus | 38 | 10 |

SPIRULA.

Vol. 7. p. 600.

| | <i>Pl.</i> | <i>Fig.</i> |
|-----------------------------------|------------|-------------|
| 1 Peronii (<i>Nautilus</i>) ... | 13 | 16 |

SPONDYLUS.
Vol. 6. p. 136.

| | | |
|------------------|---|---|
| 1 Gædaropus..... | 9 | 1 |
| 9 regius | 9 | 2 |

STOMATELLA.

Vol. 6. pt. 2. p. 209.

| | | |
|------------------------------------------|----|----|
| 4 Auricula (<i>Patella</i>) ... | 37 | 54 |
| <i>sulcifera</i> (<i>Haliotis</i>) ... | 8 | 3 |
| <i>imbricata</i> | 8 | 4 |

STOMATIA.

Vol. 6. pt. 2. p. 211.

| | | |
|------------------------------------|----|----|
| 1 phimotis (<i>Haliotis</i>) ... | 36 | 18 |
|------------------------------------|----|----|

STROMBUS.

Vol. 7. p. 199.

The Specific names the same as
the Linnean, except

| | | |
|----------------------|----|----|
| 2 accipitrinus..... | 25 | 41 |
| 7 cristatus | 25 | 15 |
| 9 bubonius | 25 | 14 |
| 23 Troglodytes | 25 | 26 |
| 26 plicatus | 25 | 35 |
| 29 lineatus | 24 | 11 |

| | Pl. | Fig. | | Pl. | Fig. |
|-------------------------------|-----|------|------------------------------|-----|------|
| <i>gracilior</i> | 4 | 1 | 5 <i>virgata</i> | 3 | 3 |
| <i>variabilis</i> | 4 | 2 | 8 <i>Spengleri</i> | 4 | 35 |
| <i>labiosus</i> | 4 | 3 | 9 <i>rostrata</i> | 4 | 28 |
| <i>jugosus</i> | 4 | 4 | 12 <i>foliacea</i> | 3 | 20 |
| <i>floridus</i> | 4 | 5 | 13 <i>operculata</i> | 4 | 37 |
| <i>incisus</i> | 4 | 12 | 20 <i>planata</i> | 3 | 24 |
| <i>Galea</i> | 4 | 13 | 21 <i>punicea</i> | 4 | 47 |
| <i>Galea junior</i> | 4 | 14 | 22 <i>depressa</i> | 4 | 48 |
| <i>bituberculatus</i> | 4 | 15 | 24 <i>Fabula</i> | 3 | 23 |
| <i>tricornis</i> | 4 | 16 | 15 <i>tenuis</i> | 3 | 22 |
| <i>Thersites</i> | 4 | 17 | 27 <i>donacina</i> | 4 | 31 |
| <i>variabilis</i> | 4 | 18 | 31 <i>Remies</i> | 4 | 69 |
| <i>Persicus</i> | 4 | 19 | 34 <i>scobinata</i> | 4 | 67 |
| <i>dilatatus</i> | 4 | 20 | 35 <i>crassa</i> | 4 | 75 |
| <i>granulatus</i> | 4 | 21 | 36 <i>laevigata</i> | 4 | 29 |
| | | | 37 <i>Lingua-Felis</i> | 3 | 2 |
| | | | 38 <i>rugosa</i> | 3 | 8 |
| | | | 39 <i>lacunosa</i> | 3 | 12 |
| | | | 40 <i>gargadia</i> | 3 | 1 |
| | | | 42 <i>multangula</i> | 3 | 11 |
| | | | 43 <i>polygona</i> | 4 | 80 |
| | | | 47 <i>obliqua</i> | 4 | 46 |
| | | | 51 <i>solidula</i> | 4 | 84 |
| | | | 52 <i>bimaculata</i> | 4 | 83 |
| | | | <i>convexa</i> | 1 | 2 |
| STRUTHIOLARIA. | | | TEREBELLUM. | | |
| Vol. 7. p. 147. | | | Vol. 7. p. 409. | | |
| 1 <i>nodulosa (Murex)</i> ... | 26 | 62 | 1 <i>subulatum (Bulla)</i> . | 18 | 41 |
| SUCCINEA. | | | TEREBRA. | | |
| Vol. 6. pt. 2. p. 154. | | | Vol. 7. p. 283. | | |
| 2 <i>amphibia (Helix)</i> ... | 35 | 171 | 1 <i>maculata (Buccinum)</i> | 24 | 129 |
| <i>patula</i> | 7 | 9 | | | |
| TELLINA. | | | | | |
| Vol 5.p. 519. | | | | | |
| 1 <i>radiata</i> | 4 | 26 | | | |
| 4 <i>maculosa</i> | 3 | 4 | | | |

| | <i>Pl. Fig.</i> |
|------------------------|-----------------|
| 3 crenulata..... | 24 133 |
| 4 dimidiata..... | 24 147 |
| 5 muscaria | 24 131 |
| 7 oculata | 24 130 |
| 8 duplicata..... | 24 142 |
| 18 Myuros | 24 140 |
| 21 lanceata | 24 146 |
| 22 aciculina..... | 24 143 |
| 24 vittata | 24 138 |
| <i>lineolata</i> | 4 22 |
| <i>elongata</i> | 4 25 |

TEREBRATULA.

Vol. 6. p. 243.

| | |
|----------------------------------|-------|
| 1 vitrea (<i>Anomia</i>) | 11 24 |
| 8 dorsata..... | 11 26 |
| 9 sanguinea | 11 25 |
| 10 Caput-Serpentis..... | 11 22 |
| 11 truncata | 11 17 |
| 12 psittacea | 11 27 |
| <i>pulchra</i> | 2 1 |
| <i>rosea</i> | 2 3 |
| <i>rubra</i> | 2 4 |

TEREDO.

Vol. 5. p. 438.

| | |
|----------------|------|
| 1 navalis..... | 38 2 |
|----------------|------|

TORNATELLA.

Vol. 6. pt. 2. p. 219.

| | |
|---------------------------------|-------|
| 1 flammca (<i>Voluta</i>).... | 19 12 |
|---------------------------------|-------|

| | <i>Pl. Fig.</i> |
|------------------|-----------------|
| 2 solidula | 19 13 |
| 3 fasciata | 19 11 |

TRIDACNA.

Vol. 6. p. 104.

| | |
|-------------------------------|-----|
| 1 Gigas (<i>Chama</i>)..... | 9 2 |
|-------------------------------|-----|

TRIGONIA.

Vol. 6. p. 61.

| | |
|---------------------------------|-----|
| 1 pectinata (<i>Chama</i>) .. | 2 6 |
|---------------------------------|-----|

TRITON.

Vol. 7. p. 177.

| | |
|---------------------------------|-------|
| 1 variegatus (<i>Murex</i>) . | 27 95 |
| 4 Lampas | 25 28 |
| 5 Scrobiculator | 26 43 |
| 6 Spengleri | 26 38 |
| 9 Pileare | 26 35 |
| 10 Lotorium | 26 34 |
| 11 Femorale | 26 32 |
| 12 Pyrum | 26 39 |
| 15 canaliferus | 26 41 |
| 17 Clavator | 26 40 |
| 21 Anus | 26 45 |
| 25 maculosus..... | 26 37 |
| 27 Rubecula | 26 42 |
| 28 cutaceus..... | 26 33 |

| | Pl. Fig. |
|----------------------------------|----------|
| 29 Dolarius | 27 106 |
| §1 undosus (<i>Buccinum</i>) . | 23 97 |

TROCHUS.

Vol. 7. p. 9.

The Specific names the same as
the Linnean, except

| | |
|------------------------------------|--------|
| 12 stellaris (<i>Turbo</i>) | 30 29 |
| 18 agglutinans (<i>Trochus</i>) | 29 69 |
| 22 Merula | 29 86 |
| 26 pyramidalis | 30 110 |
| <i>undosus</i> | 5 1 |
| <i>Unguis</i> | 5 2 |
| <i>olivaceus</i> | 5 3 |
| <i>Pellis-Serpentis</i> | 5 4 |
| <i>armillatus</i> | 5 5 |
| <i>acuminatus</i> | 5 6 |
| <i>elegantulus</i> | 5 9 |
| <i>granosus</i> | 5 11 |
| <i>tæniatus</i> | 5 12 |
| <i>lævis</i> | 5 13 |
| <i>albidus</i> | 5 14 |
| <i>Clelandii</i> | 5 15 |
| <i>quadricostatus</i> | 5 16 |
| <i>Byronianus</i> | 5 17 |
| <i>elongatus</i> | 5 19 |
| <i>Smithii</i> | 5 20 |
| <i>articulatus</i> | 5 22 |
| <i>filosus</i> | 5 23 |
| <i>Maugeri</i> | 5 27 |
| <i>pictus</i> | 5 28 |
| <i>Clangulus</i> | 5 31 |
| <i>Mediterraneus</i> | 5 32 |

| | Pl. Fig. |
|---------------------------|----------|
| <i>callosus</i> | 5 33 |
| <i>zonatus</i> | 5 34 |
| <i>reticulatus</i> | 6 38 |
| <i>clanguloides</i> | 6 39 |
| <i>sulcatus</i> | 6 40 |
| <i>indistinctus</i> | 6 41 |
| <i>interruptus</i> | 6 42 |
| <i>Montagui</i> | 6 43 |
| <i>Calyculus</i> | 6 44 |

TUBICINELLA.

Vol. 5. p. 384.

| | |
|--------------------------------|-----|
| 1 Balænarum (<i>Lepas</i>) . | 1 1 |
|--------------------------------|-----|

TURBINELLA.

Vol. 7. p. 102.

| | |
|-----------------------------------|--------|
| 1 Scolymus (<i>Murex</i>) .. | 27 115 |
| 4 Pyrum (<i>Voluta</i>) | 21 160 |
| 5 pugillaris | 21 158 |
| 6 Rhinoceros | 21 157 |
| 7 cornigera | 21 155 |
| 8 Ceramica | 21 159 |
| 9 Capitellum | 21 156 |
| 11 Globulus | 21 162 |
| 13 rustica (<i>Buccinum</i>) .. | 23 66 |
| 14 cingulifera (<i>Murex</i>) . | 27 110 |
| 15 polygona | 27 113 |
| 16 carinifera | 26 84 |
| 17 Infundibulum | 27 118 |
| 18 craticulata | 27 121 |
| 19 lineata (<i>Voluta</i>) | 20 118 |

| | Pl. Fig. | |
|-----------------------------------|----------|----|
| 23 ocellata (<i>Buccinum</i>) . | 23 | 89 |
| rigida (<i>Murex</i>) | 5 | 3 |
| sanguinea | 5 | 10 |
| unifasciata | 5 | 11 |
| acuminata | 5 | 12 |
| cerata | 5 | 15 |

TURBO.

Vol. 7. p. 38.

The Specific names the same as
the Linnean, except

| | | |
|-----------------------|----|----|
| 22 Hippocastanum | 31 | 46 |
| niger | 6 | 1 |
| minimus | 6 | 29 |
| tuberculatus | 6 | 30 |
| Zebra..... | 6 | 33 |
| Pintado | 6 | 34 |
| crassus | 6 | 43 |
| fluctuosus | 6 | 44 |
| saxosus | 6 | 45 |
| bicarinatus..... | 6 | 47 |

TURRITELLA.

Vol. 7. p. 55.

| | | |
|---------------------------------|----|-----|
| 1 duplicata (<i>Turbo</i>) .. | 32 | 132 |
| 2 Terebra..... | 32 | 137 |
| 3 imbricata | 32 | 129 |
| 4 replicata | 32 | 130 |
| 10 exoleta | 32 | 136 |
| suturalis | 6 | 41 |

UMBRELLA.

Vol. 6. p. 339.

| | Pl. Fig. | |
|----------------------------------|----------|----|
| 1 Indica (<i>Patella</i>) | 38 | 85 |

UNIO.

Vol. 6. p. 68.

| | | |
|---------------------------------|---|----|
| 2 elongatus (<i>Mya</i>)..... | 2 | 30 |
| 3 crassus..... | 2 | 28 |
| 13 radiatus | 2 | 32 |
| 32 Pictorum..... | 2 | 26 |
| 33 Batavus | 2 | 25 |
| 34 corrugatus | 2 | 31 |
| 35 nodulosus | 2 | 34 |
| nasutus..... | 1 | 4 |
| rotundatus | 1 | 1 |
| oblongatus | 1 | 2 |
| undulatus..... | 1 | 5 |
| cariosus | 1 | 6 |
| obliquus | 1 | 8 |
| alatus | 1 | 3 |
| rugulosus | 1 | 7 |
| rigidus ?..... | 1 | 10 |
| prælongus | 1 | 11 |

VALVATA.

Vol. 6. pt. 2. p. 171.

| | | |
|-----------------------------------|----|----|
| 1 piscinalis (<i>Turbo</i>) ... | 31 | 87 |
|-----------------------------------|----|----|

VENERICARDIA.

Vol. 5. p. 609.

| | | |
|--------------------------------|---|---|
| Tankervillei (<i>Chama</i>). | 2 | 4 |
| crassicostrata | 2 | 5 |

VENERUPIS.

Vol. 5. p. 506.

| | Pl. | Fig. |
|----------------------------------|-----|------|
| 1 perforans (<i>Venus</i>).... | 8 | 108 |
| 3 Irus (<i>Donax</i>)..... | 6 | 21 |

VENUS.

Vol. 5. p. 583.

| | | |
|----------------------|---|-----|
| 1 Puerpera | 8 | 67 |
| 2 reticulata | 8 | 66 |
| 5 crenulata | 8 | 68 |
| 7 Verrucosa | 7 | 12 |
| 8 rugosa | 7 | 13 |
| 9 crassina | 7 | 14 |
| 10 plicata | 7 | 9 |
| 11 cancellata | 7 | 15 |
| 14 granulata | 7 | 29 |
| 16 Marica | 7 | 5 |
| 22 mercenaria | 7 | 40 |
| 24 Gallina | 7 | 23 |
| 27 sulcata | 7 | 18 |
| 29 exalbida..... | 7 | 27 |
| 34 corrugata | 8 | 105 |
| 35 Malabarica | 7 | 36 |
| 36 papilionacea..... | 8 | 103 |
| 40 litterata | 8 | 101 |
| 42 Textile | 8 | 104 |
| 44 geographica | 8 | 102 |
| 46 decussata..... | 8 | 107 |
| 47 pullastra | 8 | 109 |
| 55 Scotica | 7 | 20 |
| 56 aurea | 8 | 111 |
| 57 virginea | 8 | 110 |
| 61 callipyga | 8 | 63 |

Pl. Fig.

| | | |
|-----------------------------|---|----|
| 62 opima | 7 | 50 |
| 63 nebulosa | 7 | 52 |
| 84 flammea | 7 | 37 |
| 87 ovata | 7 | 30 |
| <i>lamellata</i> | 2 | 1 |
| <i>Berii</i> | 2 | 2 |
| <i>elegans</i> | 2 | 3 |
| <i>Stutchburii</i> | 2 | 4 |
| <i>subrostrata</i> | 2 | 7 |
| <i>papyracea</i> | 2 | 8 |
| <i>aphrodisioides</i> | 2 | 10 |
| <i>Aurisiaca</i> | 2 | 12 |
| <i>costulata</i> | 2 | 15 |

VERMETUS.

Vol. 6. pt. 2. p. 224.

| | | |
|----------------------------------|----|----|
| 1 lumbricalis (<i>Serpula</i>) | 38 | 21 |
| <i>maximus</i> | 8 | 2 |

VERMILIA.

Vol. 5. p. 368.

| | | |
|-----------------------------------|----|---|
| 2 triquetra (<i>Serpula</i>)... | 38 | 9 |
|-----------------------------------|----|---|

VOLVARIA.

Vol. 7. p. 362.

| | | |
|---------------------------------|----|----|
| 1 Monilis (<i>Voluta</i>).... | 19 | 53 |
| 2 pallida | 19 | 59 |
| 3 triticea | 19 | 54 |

VOLUTA.

Vol. 7. p. 327.

The specific names the same as the
Linnean, except

| | Pt. | Fig. |
|------------------------|-----|------|
| 7 Milo | 21 | 185 |
| 14 Brasiliana | 21 | 174 |
| 33 ancilla | 21 | 168 |
| 36 fulminata..... | 21 | 167 |
| 41 volvacea | 21 | 165 |
| <i>subnodosa</i> | 3 | 1 |
| <i>gracilis</i> | 3 | 2 |
| <i>Fulgetrum</i> | 3 | 3 |
| <i>aulica</i> | 3 | 4 |
| <i>Flammula</i> | 3 | 5 |
| <i>pulchra</i> | 3 | 6 |
| <i>Pusio</i> | 3 | 9 |
| <i>punctata</i> | 3 | 19 |
| <i>marmorata</i> | 3 | 20 |

Pt. Fig.

| | | |
|--------------------------|---|----|
| <i>angulata</i> | 3 | 21 |
| <i>tuberculata</i> | 3 | 22 |
| <i>rubiginosa</i> | 3 | 23 |
| <i>modesta</i> | 3 | 24 |
| <i>Harpa</i> | 3 | 26 |

VORTICIALIS.

Vol. 7. p. 625.

| | | |
|-----------------------------------|----|----|
| 1 craticulata (<i>Nautilus</i>) | 13 | 42 |
| 2 strigilata | 13 | 41 |

VULSELLA.

Vol. 6. p. 220.

| | | |
|-----------------------------------|----|----|
| 1 lingulata (<i>Ostrea</i>) ... | 11 | 84 |
|-----------------------------------|----|----|

THE END.

VENERUPIS.

Vol. 5. p. 506.

| | Pl. | Fig. |
|----------------------------------|-----|------|
| 1 perforans (<i>Venus</i>).... | 8 | 108 |
| 3 Irus (<i>Donax</i>)..... | 6 | 21 |

VENUS.

Vol. 5. p. 583.

| | | |
|----------------------|---|-----|
| 1 Puerpera | 8 | 67 |
| 2 reticulata | 8 | 66 |
| 5 crenulata | 8 | 68 |
| 7 Verrucosa | 7 | 12 |
| 8 rugosa | 7 | 13 |
| 9 crassina | 7 | 14 |
| 10 plicata | 7 | 9 |
| 11 cancellata | 7 | 15 |
| 14 granulata | 7 | 29 |
| 16 Marica | 7 | 5 |
| 22 mercenaria | 7 | 40 |
| 24 Gallina | 7 | 23 |
| 27 sulcata | 7 | 18 |
| 29 exalbida..... | 7 | 27 |
| 34 corrugata | 8 | 105 |
| 35 Malabarica | 7 | 36 |
| 36 papilionacea..... | 8 | 103 |
| 40 litterata | 8 | 101 |
| 42 Textile | 8 | 104 |
| 44 geographica | 8 | 102 |
| 46 decussata..... | 8 | 107 |
| 47 pullastra | 8 | 109 |
| 55 Scotica | 7 | 20 |
| 56 aurea | 8 | 111 |
| 57 virginea | 8 | 110 |
| 61 callipyga | 8 | 63 |

Pl. Fig.

| | | |
|------------------------------|---|----|
| 62 opima | 7 | 50 |
| 63 nebulosa | 7 | 52 |
| 84 flammea | 7 | 37 |
| 87 ovata | 7 | 30 |
| <i>lamellata</i> | 2 | 1 |
| <i>Berrii</i> | 2 | 2 |
| <i>elegans</i> | 2 | 3 |
| <i>Stutchburii</i> | 2 | 4 |
| <i>subrostrata</i> | 2 | 7 |
| <i>papyracea</i> | 2 | 8 |
| <i>aphrodisinoides</i> | 2 | 10 |
| <i>Aurisiaca</i> | 2 | 12 |
| <i>costulata</i> | 2 | 15 |

VERMETUS.

Vol. 6. pt. 2. p. 224.

| | | |
|----------------------------------|----|----|
| 1 lumbricalis (<i>Serpula</i>) | 38 | 21 |
| <i>maximus</i> | 8 | 2 |

VERMILIA.

Vol. 5. p. 368.

| | | |
|-----------------------------------|----|---|
| 2 triquetra (<i>Serpula</i>)... | 38 | 9 |
|-----------------------------------|----|---|

VOLVARIA.

Vol. 7. p. 362.

| | | |
|----------------------------------|----|----|
| 1 Monilis (<i>Voluta</i>) | 19 | 53 |
| 2 pallida | 19 | 59 |
| 3 triticea | 19 | 54 |

VOLUTA.

Vol. 7. p. 327.

The specific names the same as the
Linnean, except

| | <i>Pl. Fig.</i> |
|------------------------|-----------------|
| 7 Milo | 21 185 |
| 14 Brasiliana | 21 174 |
| 33 ancilla | 21 168 |
| 36 fulminata..... | 21 167 |
| 41 volvacea | 21 165 |
| <i>subnodosa</i> | 3 1 |
| <i>gracilis</i> | 3 2 |
| <i>Fulgetrum</i> | 3 3 |
| <i>aulica</i> | 3 4 |
| <i>Flammula</i> | 3 5 |
| <i>pulchra</i> | 3 6 |
| <i>Purio</i> | 3 9 |
| <i>punctata</i> | 3 19 |
| <i>marmorata</i> | 3 20 |

Pl. Fig.

| | |
|--------------------------|------|
| <i>angulata</i> | 3 21 |
| <i>tuberculata</i> | 3 22 |
| <i>rubiginosa</i> | 3 23 |
| <i>modesta</i> | 3 24 |
| <i>Harpa</i> | 3 26 |

VORTICIALIS.

Vol. 7. p. 625.

| | |
|-----------------------------------|-------|
| 1 craticulata (<i>Nautilus</i>) | 13 42 |
| 2 strigilata | 13 41 |

VULSELLA.

Vol. 6. p. 220.

| | |
|-----------------------------------|-------|
| 1 lingulata (<i>Ostrea</i>) ... | 11 84 |
|-----------------------------------|-------|

THE END.

VENERUPIS.

Vol. 5. p. 506.

| | Pl. | Fig. |
|----------------------------------|-----|------|
| 1 perforans (<i>Venus</i>).... | 8 | 108 |
| 3 Irus (<i>Donax</i>)..... | 6 | 21 |

VENUS.

Vol. 5. p. 583.

| | | |
|----------------------|---|-----|
| 1 Puerpera | 8 | 67 |
| 2 reticulata | 8 | 66 |
| 5 crenulata | 8 | 68 |
| 7 Verrucosa | 7 | 12 |
| 8 rugosa | 7 | 13 |
| 9 crassina | 7 | 14 |
| 10 plicata | 7 | 9 |
| 11 cancellata | 7 | 15 |
| 14 granulata | 7 | 29 |
| 16 Marica | 7 | 5 |
| 22 mercenaria | 7 | 40 |
| 24 Gallina | 7 | 23 |
| 27 sulcata | 7 | 18 |
| 29 exalbida..... | 7 | 27 |
| 34 corrugata | 8 | 105 |
| 35 Malabarica | 7 | 36 |
| 36 papilionacea..... | 8 | 103 |
| 40 litterata | 8 | 101 |
| 42 Textile | 8 | 104 |
| 44 geographica | 8 | 102 |
| 46 decussata..... | 8 | 107 |
| 47 pullastra | 8 | 109 |
| 55 Scotica | 7 | 20 |
| 56 aurea | 8 | 111 |
| 57 virginea | 8 | 110 |
| 61 callipyga | 8 | 63 |

Pl. Fig.

| | | |
|----------------------------|---|----|
| 62 opima | 7 | 50 |
| 63 nebulosa | 7 | 52 |
| 84 flammea | 7 | 37 |
| 87 ovata | 7 | 30 |
| <i>lamellata</i> | 2 | 1 |
| <i>Berrü</i> | 2 | 2 |
| <i>elegans</i> | 2 | 3 |
| <i>Stutchburü</i> | 2 | 4 |
| <i>subrostrata</i> | 2 | 7 |
| <i>papyracea</i> | 2 | 8 |
| <i>aphrodinoides</i> | 2 | 10 |
| <i>Aurisiaca</i> | 2 | 12 |
| <i>costulata</i> | 2 | 15 |

VERMETUS.

Vol. 6. pt. 2. p. 224.

| | | |
|----------------------------------|----|----|
| 1 lumbricalis (<i>Serpula</i>) | 38 | 21 |
| <i>maximus</i> | 8 | 2 |

VERMILIA.

Vol. 5. p. 368.

| | | |
|-----------------------------------|----|---|
| 2 triquetra (<i>Serpula</i>)... | 38 | 9 |
|-----------------------------------|----|---|

VOLVARIA.

Vol. 7. p. 362.

| | | |
|----------------------------------|----|----|
| 1 Monilis (<i>Voluta</i>) | 19 | 53 |
| 2 pallida | 19 | 59 |
| 3 triticea | 19 | 54 |

VOLUTA

Vol. 7. p. 37.

The specific names the same as the
Linnean, except

| | <i>Pl. Fig.</i> |
|------------------------|-----------------|
| 7 Milo | 31 135 |
| 14 Brasiliana | 31 174 |
| 33 ancilla | 31 163 |
| 36 fulminata | 31 167 |
| 41 volvacea | 31 165 |
| <i>subnodosa</i> | 3 1 |
| <i>gracilis</i> | 3 2 |
| <i>Fulgetrum</i> | 3 3 |
| <i>africa</i> | 3 4 |
| <i>Flammula</i> | 3 5 |
| <i>pulchra</i> | 3 6 |
| <i>Puro</i> | 3 9 |
| <i>punctata</i> | 3 19 |
| <i>marmorata</i> | 3 20 |

Pl. Fig.

| | |
|----------------------------|------|
| <i>rugulata</i> | 3 21 |
| <i>subreticulata</i> | 3 22 |
| <i>marginata</i> | 3 23 |
| <i>nodulata</i> | 3 24 |
| <i>Hirta</i> | 3 25 |

VORTICIALIS.

Vol. 7. p. 625.

| | |
|---------------------------|-------|
| 1 craticulata (Nassarius) | 13 43 |
| 2 strigilata | 13 41 |

VULSELLA.

Vol. 6. p. 220.

| | |
|--------------------------|-------|
| 1 lingulata (Ostrea) ... | 11 34 |
|--------------------------|-------|

THE END.

LONDON:
PRINTED BY RICHARD TAYLOR,
RED LION COURT, FLEET STREET.







VENUS.




CHAMA.



ARCA.



OSTREA.



ANOMIA.



MYTILUS.



VOLVTA



STROMBUS



MUREX

Pl. 5



TROCHUS



TROCHUS

Pl. 6



TURRO



HELIX

Pl. 7



HELIX

Pl. 8



NERITA



HALIOTIS



PATELLA



SERPULA



A LIST
OF
THE PLATES
/ OF THE
“*INDEX TESTACEOLOGICUS*,”
WITH THE LAMARCKIAN NAMES ADAPTED TO
THE FIGURES IN EACH PLATE.

[Where the Numbers of the Figures are omitted, the Linnean and Lamarckian Generic and Specific Names are the same: where they are retained, without being named, it is presumed that Lamarck has not noticed the Species in his “*Histoire Naturelle des Animaux sans Vertèbres*.”]

| CHITON. | Pl. 1. | Fig. | | Fig. |
|-----------------------------|--------|------|--------------------------|------|
| Chitonellus lævis..... | | 39 | Balanus perforatus | 10 |
| | | | ———— sulcatus | 11 |
| | | | ———— ovularis | 12 |
| | | | ———— fistulosus | 13 |
| | | | | 14 |
| | | | | 15 |
| LEPAS. | Pl. 1. | | | |
| Tubicinella Balænarum | | 1 | | 16 |
| Coronula Diadema | | 2 | | 17 |
| ———— balænaris..... | | 3 | Acasta Montagui..... | 16 |
| ———— Testudinaria | | 4 | Balanus galeatus | 17 |
| Balanus Tintinnabulum | | 5 | ———— spinosus | 19 |
| | | 6 | ———— punctatus | 20 |
| | | 7 | ———— radiatus | 21 |
| | | 8 | ———— crispatus..... | 23 |
| | | 9 | | |

| LEPAS. Pl. 2. | Fig. | | Fig. |
|-----------------------------|------|-------------------------------|------|
| | 24 | | 7 |
| | 25 | Glycimeris Siliqua | 10 |
| | 26 | | 11 |
| | 27 | Glycimeris longirostris | 12 |
| | 28 | | 13 |
| | 29 | | 14 |
| Balanus stalactiferus | 30 | | 15 |
| Creusia Verruca | 32 | | 17 |
| | 33 | | 19 |
| Pollicipes Mitella | 34 | Amphidesma prismaticum ... | 21 |
| —— Cornucopia..... | 35 | Gastrochæna modiolana | 23 |
| —— Scalpellum | 36 | Unio Batavus | 25 |
| Anatifa vitrea | 37 | —— Pictorum | 26 |
| —— striata..... | 38 | | 27 |
| —— lævis | 39 | Unio crassus | 28 |
| —— villosa..... | 40 | | 29 |
| —— dentata | 41 | Unio elongatus | 30 |
| | 42 | —— corrugatus | 31 |
| | 43 | —— radiatus | 32 |
| Cineras vittatus | 44 | | 33 |
| | 45 | Unio nodulosus | 34 |
| Otion Cuvieri | | | 35 |
| | | Hyria avicularis | 36 |
| PHOLAS. Pl. 2. | | MYA. Pl. 3. | |
| Pholas dactyloides | 6 | | 37 |
| —— clavata | 7 | | 38 |
| Gastrochæna cuneiformis ... | 11 | | 39 |
| | | Corbula Nucleus..... | 40 |
| | | Panopæa Aldrovandi | 41 |
| MYA. Pl. 2. | | SOLEN. Pl. 3. | |
| | 3 | | 4 |
| Anatina myalis..... | 4 | | 5 |
| | 5 | | 6 |
| Anatina globulosa | 6 | | |

| | Fig. | | Fig. |
|---------------------------|------|---------------------------|------|
| | 11 | | 19 |
| Anatina subrostrata..... | 13 | | 25 |
| | 15 | | |
| | 16 | | |
| | 17 | TELLINA. Pl. 4. | |
| | 18 | | |
| Cyclas obliqua..... | 19 | | 27 |
| Solen rostratus | 22 | | 30 |
| | 23 | | 33 |
| | 24 | | 34 |
| | 25 | Psammobia Feroensis | 36 |
| | 26 | | 38 |
| Psammobia vespertina..... | 27 | Psammotea candida | 39 |
| Sanguinolaria rosea..... | 28 | | 40 |
| ———— occidens | 29 | | 41 |
| | 30 | | 42 |
| | 31 | | 43 |
| | 32 | | 44 |
| Hiatella Arctica | 33 | | 45 |
| Pandora obtusa | 35 | | 49 |
| | | | 51 |
| | | | 52 |
| | | | 53 |
| TELLINA. Pl. 3. | | | 54 |
| Tellina maculosa..... | 4 | | 55 |
| | 5 | | 56 |
| | 6 | | 57 |
| | 7 | | 58 |
| | 9 | | 59 |
| | 10 | | 60 |
| Tellina lacunosa | 12 | | 61 |
| | 13 | | 62 |
| | 14 | | 63 |
| | 15 | | 64 |
| | 16 | | 65 |
| | 17 | | 68 |

| | Fig. | | Fig. |
|----------------------------|------|----------------------------|------|
| Lucina reticulata..... | 70 | | 6 |
| —— Radula..... | 71 | | 10 |
| —— scabra | 72 | | 11 |
| | 73 | Mactra Australis | 12 |
| | 74 | | 13 |
| Lucina lactea | 76 | Mactra fasciata | 14 |
| | 77 | —— alba..... | 15 |
| Amphidesma flexuosum | 78 | Crassatella striata | 16 |
| Lucina carnaria | 79 | | 17 |
| | 81 | | 20 |
| | 82 | Mactra gigantea | 22 |
| | 85 | —— crassatella | 23 |
| Lucina divaricata..... | 87 | | 24 |
| | 88 | Lutraria compressa..... | 25 |
| | 89 | Amphidesma tenue... .. | 26 |
| | | —— Boysii..... | 27 |
| | | | 28 |
| TELLINA. Pl. 5. | | Mactra helvacea | 30 |
| Cyclas rivicola..... | 90 | —— depressa | 31 |
| —— lacustris | 91 | | 32 |
| | 92 | Lutraria rugosa | 33 |
| | 93 | | 34 |
| | 94 | Lutraria complanata | 35 |
| | 95 | —— elliptica..... | 36 |
| | 96 | —— solenoides | 37 |
| Pandora rostrata..... | 97 | | |
| | | DONAX. Pl. 6. | |
| | | Donax ringens..... | 4 |
| | | | 6 |
| | | | 7 |
| | | Amphidesma donacilla | 9 |
| | | Donax vittata | 10 |
| | | | 11 |
| | | | 12 |
| CARDIUM. Pl. 5. | | | |
| | | | |
| MACTRA. Pl. 6. | | | |
| Lutraria papyracea | 3 | | |
| | 4 | | |
| Mactra carinata | 5 | | |

| | Fig. | | Fig. |
|-----------------------------|------|----------------------------|------|
| Capsa laevigata..... | 14 | Cytherea maculata | 45 |
| | 16 | ——— casta | 46 |
| | 17 | ——— impudica | 47 |
| | 19 | Galatea radiata | 48 |
| | 20 | | 49 |
| Venerupis Irus..... | 21 | Cytherea morphina..... | 51 |
| | | | 53 |
| | | | 54 |
| | | | 55 |
| | | | 56 |
| VENUS. Pl. 7. | | | |
| Cytherea Dione | 1 | Cytherea castrensis..... | 57 |
| | 2 | | 58 |
| | 3 | | 59 |
| | 6 | | 60 |
| | 7 | | |
| | 8 | VENUS. Pl. 8. | |
| | 10 | | 61 |
| | 11 | | 62 |
| | 16 | Sanguinolaria rugosa | 64 |
| | 17 | Corbis fimbriata | 65 |
| | 19 | | 69 |
| Crassina Danmoniensis | 21 | | 70 |
| | 22 | | 71 |
| | 24 | Petricola linguatula..... | 72 |
| | 25 | | 73 |
| | 31 | | 74 |
| Cytherea flexuosa | 32 | Cytherea tigerina | 75 |
| ——— Corbicula..... | 33 | | 76 |
| ——— tripla | 34 | | 77 |
| | 35 | | 78 |
| Cytherea Erycina | 38 | Lucina Pensylvanica | 79 |
| | 39 | ——— Jamaicensis | 80 |
| Cyprina Icelandica | 41 | | 81 |
| Cyrena Zeylanica | 42 | Cytherea punctata | 82 |
| Cytherea lusoria | 43 | | 83 |
| ——— Chione..... | 44 | Cytherea exoleta..... | 84 |

SPONDYLUS. Pl. 9.

| | Fig. | | Fig. |
|------------------------------|------|--------------------------|------|
| Pectunculus pectiniformis .. | 28 | Pecten Pallium | 15 |
| ———— pectinatus | 29 | | 16 |
| ———— pennaceus | 30 | | 17 |
| ———— castaneus | 31 | Pecten nodosus | 18 |
| ———— pallens | 32 | —— Pes-felis | 19 |
| | 33 | —— histrionicus | 20 |
| | | —— Islandicus | 21 |
| | | —— Senatorius | 22 |
| | | —— aurantius | 23 |
| | | | 24 |
| ARCA. Pl. 10. | | Pecten obliterated | 25 |
| Pectunculus angulatus..... | 34 | | 26 |
| ———— undulatus..... | 35 | | 27 |
| ———— Glycimeris | 36 | | 28 |
| ———— pilosus | 37 | Pecten sanguineus..... | 29 |
| ———— stellatus | 38 | | 30 |
| ———— scriptus | 39 | Pecten varius | 31 |
| ———— nummarius | 40 | —— sauciatus..... | 32 |
| | 41 | —— Pusio | 33 |
| Nucula margaritacea | 42 | —— sinuosus | 34 |
| —— rostrata | 43 | | 35 |
| | 44 | | 36 |
| | 45 | | 37 |
| | | | 38 |
| OSTREA. Pl. 10. | | | 39 |
| Pecten maximus | 1 | | 40 |
| —— Jacobæus | 2 | Pecten glabra | 41 |
| —— Zic-zac | 3 | | 42 |
| —— Pleuronectes | 6 | Pecten opercularis | 43 |
| —— Japonicus | 7 | —— lineatus | 44 |
| —— Laurentii | 8 | —— Tranquebaricus..... | 45 |
| —— Magellanicus..... | 9 | —— gibbus..... | 46 |
| —— hybridus | 10 | —— turgidus | 47 |
| —— Radula | 11 | | 48 |
| —— imbricatus | 12 | | 50 |
| —— Plica | 13 | Lima inflata | 51 |
| | 14 | | |

| OSTREA. Pl. 11. | Fig. | | Fig. |
|----------------------------------|------|------------------------------------------|------|
| <i>Lima fragilis</i> | 52 | | 9 |
| — <i>linguatula</i> | 53 | <i>Anomia squammula</i> | 10 |
| — <i>squamosa</i> | 54 | | 11 |
| — <i>glacialis</i> | 55 | <i>Anomia pyriformis</i> | 12 |
| | 56 | | 13 |
| | 57 | | 14 |
| <i>Malleus vulgaris</i> | 58 | <i>Terebratula truncata</i> | 15 |
| — <i>anatinus</i> | 59 | | 17 |
| | 60 | | 18 |
| | 61 | | 19 |
| | 64 | | 20 |
| | 66 | <i>Terebratula Caput-Serpentis</i> | 21 |
| | 67 | | 22 |
| | 70 | <i>Terebratula vitrea</i> | 23 |
| <i>Ostrea parasitica</i> | 71 | — <i>sanguinea</i> | 24 |
| | 72 | — <i>dorsata</i> | 25 |
| <i>Pedum spondyloideum</i> | 75 | — <i>psittacea</i> | 26 |
| | 76 | <i>Hyalæa tridentata</i> | 27 |
| <i>Perna sulcata</i> | 77 | | 28 |
| | 78 | | |
| <i>Perna Isogonum</i> | 79 | ANOMIA. Pl. 12. | |
| — <i>Ephippium</i> | 80 | <i>Placuna Placenta</i> | 29 |
| — <i>obliqua</i> | 81 | — <i>Sella</i> | 30 |
| | 82 | | 31 |
| | 83 | | 32 |
| <i>Vulsella lingulata</i> | 84 | | |
| | | MYTILUS. Pl. 12. | |
| ANOMIA. Pl. 11. | | <i>Ostrea Crista-Galli</i> | 1 |
| <i>Crania personata</i> | 1 | — <i>Hyotis</i> | 2 |
| <i>Orbicula Norwegica</i> | 2 | — <i>rubella</i> | 3 |
| | 6 | <i>Meleagrina margaritifera</i> .. | 4 |
| | 7 | | 5 |
| | 8 | <i>Modiola lithophaga</i> | 7 |
| | | — <i>caudigera</i> | 8 |

| | Fig. | PINNA. Pl. 12. | Fig. |
|-----------------------------------|------|-----------------------------------|------|
| <i>Saxicava rugosa</i> | 9 | <i>Pinna nigrina</i> | 2 |
| | 10 | | 5 |
| | 11 | <i>Pinna Flabellum</i> | 6 |
| <i>Modiola cinnamomea</i> | 12 | — <i>seminuda</i> | 7 |
| — <i>picta</i> | 13 | | |
| — <i>plicata</i> | 14 | | |
| <i>Mytilus exustus</i> | 15 | | |
| | 16 | PINNA. Pl. 13. | |
| | 18 | | 10 |
| | 20 | | 13 |
| | 22 | | 14 |
| | 24 | | 15 |
| <i>Mytilus achatinus</i> | 24 | | 16 |
| — <i>elongatus</i> | 25 | | 17 |
| — <i>smaragdinus</i> | 26 | <i>Pinna marginata</i> | 20 |
| — <i>Magellanicus</i> | 28 | | |
| | 29 | | |
| | 30 | ARGONAUTA. Pl. 13. | |
| <i>Modiola Papuana</i> | 31 | <i>Argonauta nitidus</i> | 3 |
| <i>Anodon cygneus</i> | 32 | | 4 |
| — <i>anatinus</i> | 33 | | 5 |
| | 34 | <i>Carinaria vitrea</i> | 6 |
| | 35 | | 7 |
| | 36 | | 8 |
| | 38 | | |
| <i>Modiola discrepans</i> | 39 | | |
| — <i>discors</i> | 40 | NAUTILUS. Pl. 13. | |
| | 41 | <i>Nautilus umbilicatus</i> | 2 |
| <i>Avicula semi-sagitta</i> | 42 | <i>Planorbis nitidus</i> | 3 |
| | 43 | | 4 |
| | 44 | | 5 |
| <i>Lingula anatina</i> | 45 | | 6 |
| | 46 | | 7 |
| | 47 | <i>Polystomella crispa</i> | 8 |
| | 49 | | 9 |
| | | | 10 |
| | | | 11 |

| <i>Fig.</i> | | <i>Fig.</i> |
|-------------|---------------------------------------|-------------|
| 12 | | 49 |
| 13 | <i>Cristellaria auricularis</i> | 50 |
| 16 | ———— <i>Faba</i> | 51 |
| 17 | ———— <i>Scapha</i> | 52 |
| 18 | ———— <i>Crepidula</i> | 53 |
| 19 | ———— <i>Auricula</i> | 54 |
| 20 | ———— <i>tuberosa</i> | 55 |
| 21 | <i>Orbiculina numismatis</i> | 56 |
| 22 | ———— <i>ungulata</i> | 57 |
| 23 | ———— <i>uncinata</i> | 58 |
| 24 | | |
| 25 | | |
| 26 | | |
| 27 | | |
| 28 | | |
| 29 | | |
| 30 | | |
| 31 | | |
| 32 | | |
| 33 | | |
| 34 | | |
| 35 | | |
| 36 | | |
| 37 | | |
| 38 | | |
| 39 | | |
| 40 | | |
| 41 | | |
| 42 | | |
| 43 | | |
| 44 | | |
| 45 | | |
| 46 | | |
| 47 | | |
| 48 | | |

| | |
|------------------------------------|----|
| <i>Spirula Peronii</i> | 16 |
| <i>Orthocera obliqua</i> | 22 |
| ———— <i>Raphanistrum</i> | 23 |
| ———— <i>Raphanus</i> | 24 |
| <i>Polystomella costata</i> | 25 |
| <i>Nodosaria Radicula</i> | 27 |
| <i>Orthocera fascia</i> | 31 |
| <i>Nodosaria Siphunculus</i> | 33 |
| <i>Orthocera Legumen</i> | 34 |
| <i>Placentula pulvinata</i> | 38 |
| ———— <i>asterians</i> | 39 |
| <i>Vorticella strigilata</i> | 41 |
| ———— <i>craticulata</i> | 42 |
| <i>Polystomella ambigua</i> | 44 |

| | |
|---------------------------------------|----|
| NAUTILUS. Pl. 14. | |
| <i>Polystomella planulata</i> | 45 |
| <i>Siderolites calcitrapoides</i> ... | 46 |
| <i>Cristellaria Squammula</i> | 47 |
| ———— <i>papillosa</i> | 48 |

| | |
|--------------------------------|----|
| CONUS. Pl. 15. | |
| <i>Conus cinereus</i> | 56 |
| <i>Conus fumigatus</i> | 62 |
| ———— <i>lithoglyphus</i> | 71 |

| | Fig. | | Fig. |
|------------------------|------|-----------------------|------|
| Conus asper..... | 76 | | 29 |
| | 79 | | 30 |
| Conus obesus | 81 | Cypræa adusta..... | 31 |
| | 87 | | 32 |
| Conus cardinalis | 90 | Cypræa undata | 33 |
| —— lividus | 91 | —— zonata | 34 |
| | 94 | | 37 |
| | 103 | Cypræa olivacea | 39 |
| Conus Pusio..... | 108 | —— rufa..... | 40 |
| | | —— Stercus-Muscarum | 41 |
| | | | 47 |
| CONUS. Pl. 16. | | Cypræa flaveola | 49 |
| | 111 | | 50 |
| Conus auricomus..... | 113 | | 51 |
| —— Dux | 114 | | 52 |
| —— tendineus | 117 | | 56 |
| —— Præfectus..... | 118 | | 57 |
| | 122 | Cypræa oryza | 59 |
| Conus verulosus | 125 | | 61 |
| —— Terebra | 127 | | 66 |
| | 135 | | 67 |
| Conus Mozambicus..... | 146 | | |
| —— franciscanus..... | 149 | BULLA. Pl. 18. | |
| —— Aurora | 153 | Ovula oviformis | 1 |
| | | | 2 |
| CYPRÆA. Pl. 16. | | Ovula Volva | 3 |
| Cypræa Aurora | 8 | —— carnea | 4 |
| | 12 | | 5 |
| | | Ovula birostris..... | 6 |
| | | | 7 |
| | | | 8 |
| CYPRÆA. Pl. 17. | | Ovula Spelta | 9 |
| | 14 | —— verrucosa | 10 |
| | 17 | —— gibbosa | 11 |
| | 18 | | 13 |
| | 24 | | 15 |
| | 26 | | |

| | Fig. | | Fig. |
|--------------------------|------|----------------------------|------|
| Mitra lyrata..... | 111 | Mitra papalis | 144 |
| —— Melongena | 112 | | 145 |
| | 113 | Mitra coronata | 146 |
| Mitra taeniata | 114 | | 148 |
| —— plicaria | 115 | | 149 |
| Cancellaria rugosa | 116 | | 153 |
| | 117 | Turbinella cornigera | 155 |
| Turbinella lineata | 118 | —— Capitellum | 156 |
| | 119 | —— Rhinoceros | 157 |
| Mitra aurantiaca..... | 120 | —— pugillaris | 158 |
| | 121 | —— Ceramica | 159 |
| Mitra scutulata | 122 | —— Pyrum | 160 |
| —— melaniana | 123 | | 161 |
| —— casta | 124 | Turbinella Globulus | 162 |
| | 125 | | 164 |
| | | Voluta volvacea | 165 |
| | | | 166 |
| VOLUTA. Pl. 21. | | Voluta fulminata..... | 167 |
| | 126 | | 169 |
| | 127 | | 171 |
| | 128 | Voluta Brasiliana | 174 |
| | 129 | | 176 |
| | 130 | | 177 |
| | 131 | | 178 |
| | 132 | | 182 |
| | 133 | | 183 |
| | 134 | | 184 |
| | 135 | Voluta Milo..... | 185 |
| | 136 | | 186 |
| | 137 | | |
| Mitra serpentina | 138 | | |
| —— olivaria | 139 | BUCCINUM. Pl. 22. | |
| —— versicolor | 140 | Dolium Galea | 1 |
| —— cardinalis | 141 | —— Olearium..... | 2 |
| —— millepora | 142 | —— Perdix..... | 3 |
| —— episcopalis..... | 143 | —— Pomum | 4 |

| | Fig. | | Fig. |
|------------------------------|------|----------------------------|------|
| | 5 | | 50 |
| Dolium maculatum | 6 | Harpa imperialis | 51 |
| | 7 | Purpura Persica..... | 52 |
| | 8 | —— patula | 53 |
| Cassidaria echinophora ".... | 9 | Monoceros imbricatum | 54 |
| | 10 | | 55 |
| Cassidaria Tyrrhena..... | 11 | Concholepas Peruviana | 56 |
| | 12 | Purpura Hæmastoma | 57 |
| | 13 | —— armigera | 58 |
| Cassis cornuta | 14 | | 59 |
| —— rufa | 15 | | 60 |
| —— tuberosa | 16 | | |
| —— flammea | 17 | | |
| —— Testiculus | 18 | BUCCINUM. Pl. 23. | |
| —— decussata..... | 19 | | 61 |
| —— Areola..... | 20 | Purpura Lapillus | 62 |
| —— Zebra | 21 | | 63 |
| —— achatina | 22 | Planaxis undulatus | 64 |
| —— Saburon | 23 | | 65 |
| —— granulosa | 24 | Turbinella rustica | 66 |
| —— sulcosa..... | 25 | | 67 |
| —— fasciata | 27 | Pyrula elongata..... | 68 |
| | 28 | —— citrina..... | 69 |
| | 29 | | 70 |
| | 30 | | 71 |
| | 31 | | 72 |
| Cassis erinaceus..... | 32 | | 73 |
| | 33 | | 74 |
| | 34 | | 75 |
| Cassis glauca | 35 | Purpura Trochlea | 76 |
| —— Vibex | 36 | Eburna spirata | 77 |
| Buccinum inflatum | 39 | —— Zeylanica | 78 |
| Purpura Sertum | 41 | —— glabrata..... | 79 |
| | 42 | | 80 |
| | 45 | | 81 |
| Harpa ventricosa | 49 | Purpura Cataracta | 83 |

| | Fig. | | Fig. |
|------------------------------|------|-----------------------------|------|
| | 85 | | 122 |
| | 86 | | 123 |
| | 87 | Cancellaria nodulosa | 124 |
| | 88 | | 125 |
| Turbinella ocellata | 89 | | 126 |
| | 91 | | 127 |
| | 92 | Terebra maculata.. | 129 |
| | 93 | —— oculata..... | 130 |
| | 94 | —— muscaria | 131 |
| | 95 | | 132 |
| Phasianella bulimoides | 96 | Terebra crenulata..... | 133 |
| Triton undosus | 97 | | 134 |
| | 98 | Terebra vittata | 138 |
| | 99 | | 139 |
| | 100 | Terebra Myuros | 140 |
| | 101 | | 141 |
| | 102 | Terebra duplicata | 142 |
| Purpura cruentata..... | 103 | —— aciculina | 143 |
| Pyrula Bezoar | 104 | | 144 |
| —— Rapa | 105 | | 145 |
| Buccinum Anglicanum..... | 108 | Terebra lanceata | 146 |
| | 109 | —— dimidiata..... | 147 |
| | 110 | | 149 |
| | 111 | | 150 |
| | 112 | Pleurotoma buccinoides | 151 |
| | 113 | | 152 |
| | 114 | | 153 |
| | 115 | | 154 |
| | 116 | | 155 |
| | 118 | | 156 |
| | 119 | | 157 |
| Buccinum Miga..... | 120 | | 158 |
| | | | 159 |
| | | | 160 |
| BUCCINUM. Pl. 24. | | | 161 |
| | 121 | | 162 |

| Fig. | | Fig. |
|-------------------------------|------------------------------|------|
| 163 | Cerithium palustre | 39 |
| 164 | Pirena terebralis | 40 |
| 165 | —— aurita | 41 |
| 166 | Pleurotoma auriculifera | 42 |
| 167 | | 43 |
| 168 | | 44 |
| 169 | | |
| 170 | MUREX. Pl. 25. | |
| 171 | | 2 |
| | | 3 |
| STROMBUS. Pl. 24. | Murex crassispinus | 4 |
| Rostellaria curvirostris..... | | 8 |
| —— rectirostris | Murex asperrimus..... | 9 |
| | —— miliaris | 10 |
| Rostellaria Pes-Pelecani | —— inflatus | 12 |
| Pterocera Chiragra | | 13 |
| —— Scorpio | | 14 |
| —— Lambis | Murex Endivia..... | 18 |
| —— truncata | Purpura Sacellum..... | 20 |
| —— Millepeda | Ranella Crumena | 21 |
| Strombus lineatus | —— spinosa | 22 |
| | | 23 |
| | Ranella ranina | 24 |
| STROMBUS. Pl. 25. | —— bitubercularis | 25 |
| Strombus bubonius | —— bufonia..... | 26 |
| —— cristatus | —— Argus | 27 |
| | Triton Lampas | 28 |
| Strombus accipitrinus | | 29 |
| —— Troglodytes..... | | 30 |
| | | |
| | MUREX. Pl. 26. | |
| | | 31 |
| Strombus plicatus..... | Triton Femorale | 32 |
| Purpura Vexillum..... | —— cutaceus..... | 33 |
| | —— Lotorium | 34 |
| Cerithium tuberculatum | | |

| | Fig. | | Fig. |
|------------------------------|------|-----------------------------|------|
| Triton Pileare | 35 | Fusus longissimus | 71 |
| Ranella candidata | 36 | —— colosseus | 72 |
| Triton maculosus | 37 | | 73 |
| —— Spengleri | 38 | | 74 |
| —— Pyrum | 39 | | 75 |
| —— Clavator | 40 | | 76 |
| —— canaliferus | 41 | | 77 |
| —— Rubecula | 42 | Fusus Morio | 78 |
| —— Scrobiculator | 43 | —— Cochlidium | 79 |
| Ranella gigantea | 44 | Pyruia Tuba | 80 |
| Triton Anus | 45 | —— Spirillus | 81 |
| | 46 | —— canaliculata | 82 |
| Racinula horrida | 47 | —— Carica | 83 |
| | 48 | Turbinella carinifera | 84 |
| Purpura neritoides | 49 | Pyruia nodosa | 85 |
| —— Hystrix | 50 | | 86 |
| | 51 | | 87 |
| Purpura mancinella | 52 | Pyruia perversa | 88 |
| —— Hippocastanum | 53 | Fusus antiquus | 89 |
| | 54 | | |
| | 55 | MUREX. Pl. 27. | 91 |
| Purpura plicata | 56 | | 92 |
| | 57 | Fusus despectus | 93 |
| Cancellaria senticosa | 58 | —— carinatus | 94 |
| Pyruia Melongena | 59 | Triton variegatus | 95 |
| | 60 | | 96 |
| Purpura Consul | 61 | Fusus Nifat | 97 |
| Struthiolaria nodulosa | 62 | Fasciolaria Tulipa | 98 |
| Pleurotoma Virgo | 63 | | 99 |
| | 64 | | 101 |
| | 65 | Purpura Fiscella | 102 |
| | 66 | Fusus incrassatus | 103 |
| Pleurotoma Babylonia | 67 | | 104 |
| —— nodifera | 68 | Fusus Corona | 105 |
| | 69 | Triton Dolarius | 106 |
| | 70 | | |

| | Fig. | | Fig. |
|-------------------------------|------|----------------------------|------|
| Fusus Islandicus | 107 | Cerithium nodulosum | 147 |
| | 108 | | 148 |
| | 109 | | 149 |
| Turbinella cingulifera | 110 | | 150 |
| | 111 | Cerithium atratum | 151 |
| Fasciolaria Trapezium | 112 | ———— vulgatum | 152 |
| Turbinella polygona | 113 | ———— ebeninum | 153 |
| Pyrula Vespertilio | 114 | ———— muricatum | 154 |
| Turbinella Scolymus | 115 | | |
| Pyrula Ternatana | 116 | | |
| | 117 | | |
| Turbinella Infundibulum | 118 | MUREX. Pl. 28. | |
| Fusus Syracusanus | 119 | Cerithium torulosum | 155 |
| Pleurotoma spirata | 120 | ———— Radula | 156 |
| Turbinella craticulata | 121 | | 157 |
| | 122 | | 158 |
| | 123 | Cerithium asperum | 159 |
| Fusus sinistralis | 124 | ———— granulatum | 160 |
| | 125 | ———— sulcatum | 161 |
| | 126 | ———— semi-granosum .. | 162 |
| | 127 | ———— literatum | 163 |
| | 128 | | 164 |
| | 129 | | 165 |
| | 130 | | 167 |
| | 131 | | 168 |
| | 132 | Cerithium decollatum | 169 |
| | 133 | Fusus Afer | 170 |
| | 134 | | 171 |
| | 135 | | |
| | 136 | | |
| | 137 | | |
| | 138 | | |
| Cerithium Obeliscus | 142 | | 2 |
| ———— Vertagus | 143 | | 3 |
| | 145 | | 6 |
| Cerithium Aluco | 146 | | 7 |
| | | | 8 |
| | | | 9 |

TROCHUS. Pl. 28.

| No. | Fig. |
|-----|------|
| 1 | 45 |
| 2 | 46 |
| 3 | 48 |
| 4 | 51 |
| 5 | 53 |
| 6 | 54 |
| 7 | 56 |
| 8 | 57 |
| 9 | 58 |
| 10 | 59 |
| 11 | 60 |
| 12 | 61 |
| 13 | 62 |
| 14 | 63 |
| 15 | 65 |
| 16 | 69 |
| 17 | 70 |
| 18 | 71 |
| 19 | 72 |
| 20 | 73 |
| 21 | 74 |
| 22 | 75 |
| 23 | 76 |
| 24 | 77 |
| 25 | 78 |
| 26 | 79 |
| 27 | 80 |
| 28 | 81 |
| 29 | 82 |
| 30 | 83 |
| 31 | 84 |
| 32 | 86 |
| 33 | 87 |
| 34 | 89 |
| 35 | 90 |
| 36 | 91 |

TROCHUS PL. 22

| Fig. | | Fig. |
|-----------------------------|-----|------------------------------|
| 92 | | 13 |
| 95 | | 15 |
| 96 | | 16 |
| 98 | | 20 |
| Turbo diaphanus..... | 99 | 21 |
| | 100 | Monodonta Tectum Pernicum 24 |
| | 101 | 25 |
| | 102 | 26 |
| | 103 | Monodonta Pagodus 27 |
| | | 28 |
| TROCHUS. PL 30. | | Trochus stellaris 29 |
| | | 30 |
| | 106 | 31 |
| | 108 | 32 |
| Trochus pyramidalis | 110 | 36 |
| | 115 | 41 |
| | 116 | 43 |
| | 117 | |
| | 118 | TURBO. PL. 31. |
| | 119 | |
| Cerithium Telescopium | 120 | 44 |
| | 121 | Turbo Hippocastanum 46 |
| Pyramidella dolabrata..... | 122 | 47 |
| | 125 | 49 |
| | 126 | 50 |
| | 127 | 51 |
| | 130 | 52 |
| | | 53 |
| | | 54 |
| TURBO. PL. 30. | | 55 |
| | 4 | 56 |
| | 6 | 57 |
| | 9 | 58 |
| | 10 | 59 |
| | 11 | 61 |
| | 12 | 62 |

| <i>Fig.</i> | | <i>Fig.</i> |
|----------------------------|--------------------------------|-------------|
| 66 | | 110 |
| 67 | | |
| 68 | | |
| 69 | TURBO. Pl. 32. | |
| 70 | Pupa Mumia | 111 |
| 71 | | 112 |
| 72 | | 113 |
| 73 | Cyclostoma flavulum | 114 |
| 74 | Pupa sulcata | 115 |
| Turbo versicolor | 78 Cyclostoma elegans..... | 118 |
| | 79 ——— Lincinella | 119 |
| | 80 ——— Labeo | 120 |
| | 81 ——— ligatum | 122 |
| Delphinula laciniata | 83 | 123 |
| | 84 | 124 |
| Delphinula distorta..... | 85 | 125 |
| Valvata piscinalis..... | 87 | 126 |
| Scalaria pretiosa | 88 | 127 |
| | 89 | 128 |
| Scalaria communis | 90 Turritella imbricata..... | 129 |
| | 91 ——— replicata | 130 |
| | 92 | 131 |
| | 93 Turritella duplicata..... | 132 |
| | 95 | 133 |
| | 97 | 134 |
| | 98 | 135 |
| | 99 Turritella exoleta | 136 |
| | 100 ——— Terebra | 137 |
| Pupa Uva..... | 101 | 138 |
| | 102 | 139 |
| | 103 | 140 |
| | 104 | 141 |
| | 105 | 142 |
| | 106 Clausilia papillaris | 143 |
| | 107 | 144 |
| | 108 | 145 |

| | Fig. | HELIX. Pl. 33. | Fig. |
|----------------------------|------|-------------------------------|------|
| Clausilia corrugata | 146 | | 19 |
| | 147 | | 20 |
| | 148 | | 21 |
| Pupa fragilis..... | 149 | | 22 |
| | 150 | Planorbis carinatus | 23 |
| Pupa tridens..... | 151 | | 24 |
| | 152 | | 25 |
| Pupa Muscorum | 153 | Anostoma depressum | 26 |
| — quadridens | 154 | Carocolla Labyrinthus | 27 |
| | 155 | Helix personata | 28 |
| | 156 | Carocolla Lucerna | 30 |
| Auricula minima | 157 | ——— Lychnuchus | 31 |
| | 159 | | 33 |
| | 160 | Carocolla albilabris..... | 34 |
| | 161 | Helix gigantea..... | 36 |
| Planorbis imbricatus | 162 | | 37 |
| | 163 | | 38 |
| | 164 | | 39 |
| | 165 | Planorbis Vortex..... | 40 |
| | 166 | | 41 |
| | 167 | Carocolla inflata | 44 |
| | | | 45 |
| | | Ampullaria Avellana | 46 |
| | | | 47 |
| HELIX. Pl. 32. | | Planorbis corneus | 48 |
| Auricula Scarabæus..... | 1 | ——— spirorbis | 50 |
| | 2 | | 51 |
| Carocolla Lapidica | 3 | Planorbis contortus..... | 52 |
| ——— marginata | 4 | ——— hispidus | 53 |
| | 5 | | 54 |
| Helix vesicalis | 6 | Planorbis Cornu-Arietis | 55 |
| Cyclostoma Valvulus | 7 | | 56 |
| Carocolla albella..... | 9 | | 58 |
| | 10 | | 59 |
| Helix rotundata | 11 | Helix nitida..... | 60 |
| | 15 | | 61 |

| Fig. | | Fig. |
|------|--------------------------------------|------|
| 63 | | 115 |
| 65 | <i>Ianthina communis</i> | 116 |
| 68 | <i>Helix pulla</i> | 117 |
| 69 | | 118 |
| 70 | <i>Paludina vivipara</i> | 119 |
| 71 | —— <i>achatina</i> | 120 |
| 72 | —— <i>rugosa</i> | 121 |
| 73 | —— <i>effusa</i> | 122 |
| 74 | <i>Helix carthusianella</i> | 124 |
| 75 | <i>Bulimus Gallina-sultana</i> | 125 |
| 77 | <i>Helix aspera</i> | 126 |
| | | 130 |
| | <i>Helix naticoides</i> | 131 |
| | | 132 |
| 83 | | 133 |
| 85 | | 134 |
| 86 | <i>Bulimus decollatus</i> | 135 |
| 87 | | 136 |
| 90 | <i>Bulimus calcareus</i> | 137 |
| 92 | | 138 |
| 95 | | 139 |
| 97 | <i>Ampullaria Guinaica</i> | 140 |
| 98 | <i>Natica melanostoma</i> | 141 |
| 101 | <i>Bulimus ovatus</i> | 143 |
| 102 | —— <i>hæmastomus</i> | 144 |
| 103 | <i>Bulimus lubricus</i> | 145 |
| 104 | | 146 |
| 106 | | |
| 107 | | |
| 108 | HELIX. Pl. 35. | |
| 109 | <i>Bulimus hordeaceus</i> | 147 |
| 110 | | 148 |
| 111 | | 149 |
| 112 | <i>Bulimus citrinus</i> | 150 |
| 113 | —— <i>inversus</i> | 151 |
| 114 | —— <i>interruptus</i> | 154 |

| | Fig. | | Fig. |
|-------------------------------------|------|-----------------------------------|------|
| | 155 | | 4 |
| <i>Bulimus radiatus</i> | 156 | <i>Natica glaucina</i> | 5 |
| —— <i>Guadalupensis</i> | 157 | —— <i>Vitellus</i> | 6 |
| | 158 | | 7 |
| | 159 | <i>Natica rufa</i> | 8 |
| | 160 | | 9 |
| <i>Bulimus Lyonetianus</i> | 161 | <i>Natica fulminea</i> | 10 |
| <i>Melania amarula</i> | 164 | | 11 |
| | 165 | <i>Natica cruentata</i> | 12 |
| <i>Lymnæa stagnalis</i> | 166 | | 13 |
| —— <i>palustris</i> | 167 | <i>Natica Marochiensis</i> | 14 |
| | 168 | —— <i>arachnoidea</i> | 15 |
| | 169 | —— <i>vittata</i> | 16 |
| | 170 | —— <i>Albumen</i> | 17 |
| <i>Succinea amphibia</i> | 171 | <i>Neritina Zebra</i> | 18 |
| | 172 | <i>Natica Mamilla</i> | 19 |
| <i>Lymnæa minuta</i> | 173 | | 20 |
| | 174 | | 21 |
| | 175 | <i>Neritina Corona</i> | 22 |
| <i>Paludina impura</i> | 176 | | 23 |
| | 177 | | 24 |
| | 178 | <i>Neritina fluviatilis</i> | 26 |
| | 179 | | 27 |
| <i>Lymnæa auricularia</i> | 180 | | 28 |
| —— <i>ovata</i> | 181 | <i>Neritina dubia</i> | 29 |
| | 182 | | 30 |
| | 183 | <i>Neritina pulligera</i> | 31 |
| | 185 | | |
| <i>Sigaretus haliotoideus</i> | 187 | | |
| | 188 | | |
| | 189 | | |
| | | NERITA. Pl. 36. | |
| | | | 32 |
| | | | 33 |
| | | | 34 |
| | | | 35 |
| NERITA. Pl. 35. | | | |
| | 2 | <i>Neritina viridis</i> | 36 |
| <i>Natica cancellata</i> | 3 | —— <i>virginica</i> | 37 |

| | Fig. | | Fig. |
|----------------------------------|------|-----------------------------------|------|
| <i>Verrucaria crispata</i> | 9 | | 28 |
| <i>Spirorbis cuneatus</i> | 10 | <i>Serpula dorsata</i> | 30 |
| | 11 | <i>varicostata</i> | 31 |
| | 12 | | 32 |
| | 14 | | 33 |
| | 15 | <i>Aspergillum Javanica</i> | 34 |
| <i>Serpula contracta</i> | 17 | | 35 |
| | 18 | | 36 |
| | 19 | <i>Serpula protensa</i> | 37 |
| <i>Serpula glauca</i> | 20 | | 38 |
| <i>Vermetes lumbicaris</i> | 21 | | |
| | 22 | | |
| <i>Serpula arcuata</i> | 23 | | |
| | 24 | | |
| <i>Siliquaria muricata</i> | 25 | <i>Serpula arcuata</i> | 1 |
| <i>angusta</i> | 26 | <i>Teredo navalis</i> | 2 |
| <i>Serpula echinata</i> | 27 | | 3 |
| | | <i>Fistulina gregata</i> | 4 |

TEREDO. Pl. 38.

SUPPLEMENT.

[*The Specific Names, as they occur in the Supplement, are to be constantly applied to the Lamarckian Genera.*]

| | | | | | |
|---------------------|----|--|--|---------------------|------|
| CHITON. Pl. 1. Fig. | | | | | Fig. |
| | | | | Hyria | 12 |
| LEPAS. Pl. 1. | | | | SOLEN. Pl. 1. | |
| Anatifa | 1 | | | Solemya | 1 |
| Coronula | 2 | | | Sanguinolaria | 3 |
| Pollicipes | 3 | | | | |
| Pyrgoma | 4 | | | TELLINA. Pl. 1. | |
| Balanus | 5 | | | Lucina | 1 |
| Pollicipes | 6 | | | Petricola | 6 |
| Balanus | 7 | | | | |
| PHOLAS. Pl. 1. | | | | MACTRA. Pl. 1. | |
| MYA. Pl. 1. | | | | Lutraria | 1 |
| Unio | 1 | | | | 2 |
| | 2 | | | | 3 |
| | 3 | | | Crassatella | 8 |
| | 4 | | | | 9 |
| | 5 | | | | 10 |
| | 6 | | | | 11 |
| | 7 | | | | 12 |
| | 8 | | | | |
| Castalea | 9 | | | DONAX. Pl. 2. | |
| Unio | 10 | | | | |
| | 11 | | | | |

| | Fig. | | Fig. |
|------------------|------|------------------|------|
| Cerithium | 24 | Cyclostoma..... | 11 |
| Pleurotoma..... | 25 | Pupa..... | 12 |
| Fusus | 26 | — | 13 |
| | | — | 14 |
| TROCHUS. Pl. 5. | | Auricula | 15 |
| Monodonta..... | 7 | Scalaria | 16 |
| Helicina | 10 | — | 17 |
| Monodonta..... | 18 | — | 18 |
| — | 19 | — | 19 |
| — | 21 | — | 20 |
| — | 22 | Cyclostoma..... | 21 |
| — | 24 | — | 22 |
| — | 25 | — | 23 |
| — | 26 | Bulimus | 24 |
| Rotella..... | 29 | Phasianella..... | 25 |
| — | 30 | — | 26 |
| | | Paludina | 27 |
| | | — | 28 |
| TROCHUS. Pl. 6. | | Cyclostoma..... | 31 |
| Monodonta..... | 35 | — | 32 |
| — | 36 | Clausilia | 35 |
| — | 37 | — | 36 |
| — | 46 | — | 37 |
| | | — | 38 |
| | | — | 39 |
| TURBO. Pl. 6. | | — | 40 |
| Cyclostoma | 2 | Turritella..... | 41 |
| — | 3 | Cyclostoma..... | 42 |
| — | 4 | Phasianella..... | 46 |
| — | 5 | — | 47 |
| — | 6 | Paludina | 48 |
| Paludina..... | 7 | | |
| Cyclostoma..... | 8 | HELIX. Pl. 7. | |
| — | 9 | Succinea | 9 |
| — | 10 | Planorbis..... | 12 |

[illegible]

| Page | Chapter | Page | Page |
|------|---------|------|------|
| 1 | 1 | 1 | 1 |
| 2 | 2 | 2 | 2 |
| 3 | 3 | 3 | 3 |
| 4 | 4 | 4 | 4 |

THE END.

